

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Description:** Tin plating powder, electroless, part A  
**Cat No. :** 44176

**Unique Formula Identifier (UFI)** 2WJP-26PY-NX0S-CGMJ

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### 1.3. Details of the supplier of the safety data sheet

**Company**

Avocado Research Chemicals Ltd.  
(Part of Thermo Fisher Scientific)  
Shore Road, Heysham  
Lancashire, LA3 2XY,  
United Kingdom  
Office Tel: +44 (0) 1524 850506  
Office Fax: +44 (0) 1524 850608

**E-mail address**

begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**Poison Centre - Emergency information services**

**Ireland** : National Poisons Information Centre (NPIC) -  
**01 809 2166** (8am-10pm, 7 days a week)  
**Malta** : +356 2395 2000  
**Cyprus** : +357 2240 5611

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

**CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567**

**Physical hazards**

Substances/mixtures corrosive to metal

Category 1 (H290)

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

## Health hazards

Acute oral toxicity	Category 4 (H302)
Skin Corrosion/Irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Skin Sensitization	Category 1 (H317)
Carcinogenicity	Category 2 (H351)
Reproductive Toxicity	Category 2 (H361d)
Specific target organ toxicity - (repeated exposure)	Category 2 (H373)

## Environmental hazards

Chronic aquatic toxicity	Category 2 (H411)
--------------------------	-------------------

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

## Hazard Statements

- H290 - May be corrosive to metals
- H302 - Harmful if swallowed
- H314 - Causes severe skin burns and eye damage
- H317 - May cause an allergic skin reaction
- H351 - Suspected of causing cancer
- H361d - Suspected of damaging the unborn child
- H373 - May cause damage to organs through prolonged or repeated exposure
- H411 - Toxic to aquatic life with long lasting effects

## Precautionary Statements

- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 - Immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

- Toxic to terrestrial vertebrates
- This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

## 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Thiourea	62-56-6	EEC No. 200-543-5	53.0	Acute Tox. 4 (H302) Carc. 2 (H351) Repr. 2 (H361d) Aquatic Chronic 2 (H411)
Stannous chloride	7772-99-8	EEC No. 231-868-0	15.0	Met. Corr. 1 (H290) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Sens. 1 (H317) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) STOT RE 2 (H373) Aquatic Chronic 3 (H412)
Citric acid	77-92-9	EEC No 201-069-1	15.0	Eye Irrit. 2 (H319) STOT SE 3 (H335)
Tetrasodium EDTA	64-02-8	EEC No. 200-573-9	8.0	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Acute Tox. 4 (H332)
Sodium chloride	7647-14-5	231-598-3	8.0	-
Magnesium chloride, hexahydrate	7791-18-6		1.0	-

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General Advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.
<b>Ingestion</b>	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
<b>Self-Protection of the First Aider</b>	No special precautions required.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

lightheadedness, chest pain, muscle pain or flushing

## 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>), Hydrogen chloride, Sodium oxides, Magnesium oxides, Tin oxides.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

#### **Hygiene Measures**

ALFAA44176

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 8B  
Storage Class (LGK) (Germany)

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	The United Kingdom	European Union	Ireland
Stannous chloride	STEL: 4 mg/m <sup>3</sup> 15 min TWA: 2 mg/m <sup>3</sup> 8 hr		

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Thiourea 62-56-6 ( 53.0 )				DNEL = 3.4mg/kg bw/day
Stannous chloride 7772-99-8 ( 15.0 )		DNEL = 0.69mg/kg bw/day		DNEL = 0.34mg/kg bw/day
Sodium chloride 7647-14-5 ( 8.0 )		DNEL = 295.52mg/kg bw/day		DNEL = 295.52mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Thiourea 62-56-6 ( 53.0 )				DNEL = 1mg/m <sup>3</sup>
Stannous chloride 7772-99-8 ( 15.0 )	DNEL = 12.84mg/m <sup>3</sup>	DNEL = 2.01mg/m <sup>3</sup>	DMEL = 12mg/m <sup>3</sup>	DNEL = 1mg/m <sup>3</sup>
Sodium chloride 7647-14-5 ( 8.0 )		DNEL = 2068.62mg/m <sup>3</sup>		DNEL = 2068.62mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

See values below.

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Thiourea 62-56-6 ( 53.0 )	PNEC = 0.01mg/L	PNEC = 0.0725mg/kg sediment dw	PNEC = 0.038mg/L	PNEC = 0.38mg/L	PNEC = 2.725mg/kg soil dw
Stannous chloride 7772-99-8 ( 15.0 )	PNEC = 0.8mg/L	PNEC = 51.37mg/kg sediment dw	PNEC = 4.24µg/L	PNEC = 1.06ng/L	
Sodium chloride 7647-14-5 ( 8.0 )	PNEC = 5mg/L			PNEC = 500mg/L	PNEC = 4.86mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Thiourea 62-56-6 ( 53.0 )	PNEC = 0.001mg/L	PNEC = 0.00725mg/kg sediment dw			

## 8.2. Exposure controls

### Engineering Measures

None under normal use conditions. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers recommendations	-	EN 374	(minimum requirement)
Nitrile rubber				
Neoprene				
PVC				

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particle filter

**Small scale/Laboratory use** Maintain adequate ventilation

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

ALFAA44176

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

<b>Physical State</b>	Solid	
<b>Appearance</b>	Varies	
<b>Odor</b>	No information available	
<b>Odor Threshold</b>	No data available	
<b>Melting Point/Range</b>	No data available	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	No information available	
<b>Flammability (liquid)</b>	Not applicable	Solid
<b>Flammability (solid,gas)</b>	No information available	
<b>Explosion Limits</b>	No data available	
<b>Flash Point</b>	No information available	<b>Method -</b> No information available
<b>Autoignition Temperature</b>	No data available	
<b>Decomposition Temperature</b>	No data available	
<b>pH</b>	No information available	
<b>Viscosity</b>	Not applicable	Solid
<b>Water Solubility</b>	Insoluble in water	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Component</b>	<b>log Pow</b>	
Thiourea	-0.92	
Citric acid	-1.72	
<b>Vapor Pressure</b>	23 hPa @ 20 °C	
<b>Density / Specific Gravity</b>	1.4 g/cm3	@ 20 °C
<b>Bulk Density</b>	No data available	
<b>Vapor Density</b>	Not applicable	Solid
<b>Particle characteristics</b>	No data available	

## 9.2. Other information

**Evaporation Rate** Not applicable - Solid

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available.  
**Hazardous Reactions** None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Hydrogen chloride. Sodium oxides. Magnesium oxides. Tin oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Product Information

**(a) acute toxicity;**

<b>Oral</b>	Category 4
<b>Dermal</b>	Based on available data, the classification criteria are not met
<b>Inhalation</b>	Based on available data, the classification criteria are not met

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Thiourea	LD50 = 1750 mg/kg ( Rat )	LD50 > 6810 mg/kg ( Rat )	> 0.9 mg/L ( Rat ) 4 h
Stannous chloride	LD50 = 1910 mg/kg ( Rat )	-	LC50 = 2mg/l (4h) rat (OECD 436)
Citric acid	LD50 = 3 g/kg ( Rat )	>2 g/kg ( Rat )	-
Tetrasodium EDTA	LD50 = 1780 - 2000 mg/kg ( Rat )	-	-
Sodium chloride	LD50 = 3 g/kg ( Rat )	LD50 > 10000 mg/kg ( Rabbit )	LC50 > 42 mg/L ( Rat ) 1 h
Magnesium chloride, hexahydrate	LD50 = 8100 mg/kg ( Rat )	-	-

**(b) skin corrosion/irritation;** Category 1 B

**(c) serious eye damage/irritation;** Category 1

**(d) respiratory or skin sensitization;**

<b>Respiratory</b>	No data available
<b>Skin</b>	Category 1
	No information available

**(e) germ cell mutagenicity;** No data available

Component	Test method	Test species	Study result
Stannous chloride 7772-99-8 ( 15.0 )	OECD Test Guideline 476 Gene cell mutation	in vitro Mammalian	negative

**(f) carcinogenicity;** Category 2

Component	Test method	Test species / Duration	Study result
Stannous chloride 7772-99-8 ( 15.0 )	OECD Test Guideline 451	Rat mouse 2 years	negative

The table below indicates whether each agency has listed any ingredient as a carcinogen

**(g) reproductive toxicity;** Category 2

Component	Test method	Test species / Duration	Study result
Stannous chloride 7772-99-8 ( 15.0 )	OECD Test Guideline similar to OECD 416	rabbit 15 days	NOAEL = 41.5 mg/kg bw/day

**(h) STOT-single exposure;** No data available



# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

(i) STOT-repeated exposure; Category 2  
 Target Organs Cardiovascular system, Blood.

(j) aspiration hazard; Not applicable  
 Solid

**Symptoms / effects, both acute and delayed** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Thiourea	LC50: = 10000 mg/L, 96h (Brachydanio rerio) LC50: > 600 mg/L, 96h (Pimephales promelas)	EC50: = 35 mg/L, 48h (Daphnia magna)	EC50: 3.8 - 10 mg/L, 72h (Desmodesmus subspicatus) EC50: = 6.8 mg/L, 96h (Desmodesmus subspicatus)
Stannous chloride		EC50 = 19.5 mg/L/48h	
Citric acid	Leuciscus idus: LC50 = 440-760 mg/L/96h	EC50 = 120 mg/L/72h	
Tetrasodium EDTA	LC50: = 121 - 1592 mg/L, 96h static (Lepomis macrochirus)	EC50: = 140mg/l, 48h (Daphnia magna)	
Sodium chloride	Pimephals prome: LC50: 7650 mg/L/96h	EC50: 1000 mg/L/48h	

Component	Microtox	M-Factor
Thiourea	EC50 = 3100 mg/L 30 min EC50 = 3395 mg/L 15 min	
Citric acid	Photobacterium phosphoreum: EC50 = 14 mg/L/15 min	

**12.2. Persistence and degradability** Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary  
**Persistence** Insoluble in water, May persist.  
**Degradability** Not relevant for inorganic substances.  
**Degradation in sewage treatment plant** Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

**12.3. Bioaccumulative potential** May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
Thiourea	-0.92	No data available
Citric acid	-1.72	No data available

**12.4. Mobility in soil** Spillage unlikely to penetrate soil The product is insoluble and sinks in water Is not likely mobile in the environment due its low water solubility.

**12.5. Results of PBT and vPvB assessment** No data available for assessment.

**12.6. Endocrine disrupting properties**  
**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information** Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

**14.1. UN number** UN1759  
**14.2. UN proper shipping name** CORROSIVE SOLID, N.O.S.\*  
**Technical Shipping Name** (Tin(II) chloride, anhydrous)  
**14.3. Transport hazard class(es)** 8  
**14.4. Packing group** III

### ADR

**14.1. UN number** UN1759  
**14.2. UN proper shipping name** Corrosive solid, n.o.s.  
**Technical Shipping Name** (Tin(II) chloride, anhydrous)  
**14.3. Transport hazard class(es)** 8  
**14.4. Packing group** III

ALFAA44176

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

## IATA

<b>14.1. UN number</b>	UN1759
<b>14.2. UN proper shipping name</b> Technical Shipping Name	CORROSIVE SOLID, N.O.S* (Tin(II) chloride, anhydrous)
<b>14.3. Transport hazard class(es)</b>	8
<b>14.4. Packing group</b>	III
<b>14.5. Environmental hazards</b>	Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO
<b>14.6. Special precautions for user</b>	No special precautions required.
<b>14.7. Maritime transport in bulk according to IMO instruments</b>	Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Thiourea	62-56-6	200-543-5	-	-	X	X	KE-33805	X	X
Stannous chloride	7772-99-8	231-868-0	-	-	X	X	KE-33845	X	X
Citric acid	77-92-9	201-069-1	-	-	X	X	KE-20831	X	X
Tetrasodium EDTA	64-02-8	200-573-9	-	-	X	X	KE-13654	X	X
Sodium chloride	7647-14-5	231-598-3	-	-	X	X	KE-31387	X	X
Magnesium chloride, hexahydrate	7791-18-6	-	-	-	X	X	-	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Thiourea	62-56-6	X	ACTIVE	X	-	X	X	X
Stannous chloride	7772-99-8	X	ACTIVE	X	-	X	X	X
Citric acid	77-92-9	X	ACTIVE	X	-	X	X	X
Tetrasodium EDTA	64-02-8	X	ACTIVE	X	-	X	X	X
Sodium chloride	7647-14-5	X	ACTIVE	X	-	X	X	X
Magnesium chloride, hexahydrate	7791-18-6	-	-	-	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Thiourea	62-56-6	-	Use restricted. See item 75. (see link for restriction details)	-
Stannous chloride	7772-99-8	-	-	-
Citric acid	77-92-9	-	Use restricted. See item 75. (see link for restriction)	-

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

			details)	
Tetrasodium EDTA	64-02-8	-	Use restricted. See item 75. (see link for restriction details)	-
Sodium chloride	7647-14-5	-	-	-
Magnesium chloride, hexahydrate	7791-18-6	-	-	-

**REACH links**

<https://echa.europa.eu/substances-restricted-under-reach>

**Seveso III Directive (2012/18/EC)**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Thiourea	62-56-6	Not applicable	Not applicable
Stannous chloride	7772-99-8	Not applicable	Not applicable
Citric acid	77-92-9	Not applicable	Not applicable
Tetrasodium EDTA	64-02-8	Not applicable	Not applicable
Sodium chloride	7647-14-5	Not applicable	Not applicable
Magnesium chloride, hexahydrate	7791-18-6	Not applicable	Not applicable

**Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals**

Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

**National Regulations**

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification**

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Thiourea	WGK3	Class I : 20 mg/m <sup>3</sup> (Massenkonzentration)
Stannous chloride	WGK3	
Citric acid	WGK1	
Tetrasodium EDTA	WGK2	
Sodium chloride	WGK1	

Component	France - INRS (Tables of occupational diseases)
Sodium chloride	Tableaux des maladies professionnelles (TMP) - RG 78

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

	substances preparation (SR 814.81)		Procedure
Citric acid 77-92-9 ( 15.0 )	Prohibited and Restricted Substances		
Tetrasodium EDTA 64-02-8 ( 8.0 )	Prohibited and Restricted Substances		
Sodium chloride 7647-14-5 ( 8.0 )	Prohibited and Restricted Substances		

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals  
H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H351 - Suspected of causing cancer  
H361d - Suspected of damaging the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects  
H319 - Causes serious eye irritation  
H332 - Harmful if inhaled  
H335 - May cause respiratory irritation  
H412 - Harmful to aquatic life with long lasting effects

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/MDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

# SAFETY DATA SHEET

Tin plating powder, electroless, part A

Revision Date 21-Mar-2024

---

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

## Prepared By

Health, Safety and Environmental Department

## Revision Date

21-Mar-2024

## Revision Summary

New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**