

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 17-Oct-2018 Revision Date 09-Feb-2024 Revision Number 11

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Potassium chloride solution 4M saturated with silver chloride

Cat No. : J/2984/05

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Potassium chloride solution 4M saturated with silver chloride

Revision Date 09-Feb-2024

Acute aquatic toxicity Chronic aquatic toxicity Category 1 (H400) Category 2 (H411)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Potassium chloride	7447-40-7	231-211-8	20-30	-
Water	7732-18-5	231-791-2	70-80	-
Silver chloride	7783-90-6	232-033-3	0.1	Met. Corr. 1 (H290)
				Aquatic Acute 1 (H400)
				Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Silver chloride	-	1000 (acute) 100 (Chronic)	-

Note

Silver chloride M factor = 1000

Components	Reach Registration Number	
Potassium chloride	01-2119539416-36	

Potassium chloride solution 4M saturated with silver chloride

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Revision Date 09-Feb-2024

Potassium chloride solution 4M saturated with silver chloride

Revision Date 09-Feb-2024

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place. Protect from light.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 12

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s):

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Potassium chloride 7447-40-7 (20-30)		DNEL = 910mg/kg bw/day		DNEL = 303mg/kg bw/day

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
•	(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)

Revision Date 09-Feb-2024

Potassium chloride solution 4M saturated with silver chloride

Potassium chloride 7447-40-7 (20-30)	DNEL = 5320mg/m ³	DNEL = 1064mg/m ³
Silver chloride 7783-90-6 (0.1)		DNEL = 0.13mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment		Microorganisms in sewage treatment	`
Potassium chloride 7447-40-7 (20-30)	PNEC = 0.1mg/L		PNEC = 1mg/L	PNEC = 10mg/L	
Silver chloride 7783-90-6 (0.1)	PNEC = 0.04µg/L	PNEC = 438.13mg/kg sediment dw		PNEC = 0.025mg/L	PNEC = 0.794mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Potassium chloride 7447-40-7 (20-30)	PNEC = 0.1mg/L				
Silver chloride 7783-90-6 (0.1)	PNEC = 0.86µg/L	PNEC = 438.13mg/kg sediment dw			

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
Neoprene				
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory ProtectionNo protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Revision Date 09-Feb-2024

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance

Odor No information available **Odor Threshold** No data available **Melting Point/Range** No data available **Softening Point** No data available **Boiling Point/Range** No information available Flammability (liquid) No data available

Not applicable Flammability (solid,gas) Liquid

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition Temperature No data available No data available **Decomposition Temperature** No information available pН No data available Viscosity

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

No data available **Vapor Pressure Density / Specific Gravity** No data available

Bulk Density Not applicable Liquid **Vapor Density** No data available (Air = 1.0)

Particle characteristics (liquid) Not applicable

9.2. Other information

Molecular Weight 74.54

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available. **Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Excess heat. Protect from light.

10.5. Incompatible materials

Acids. Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Potassium chloride solution 4M saturated with silver chloride

Revision Date 09-Feb-2024

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

DermalNo data availableInhalationNo data available

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium chloride	LD50 = 2600 mg/kg (Rat)	-	-
Water	-	•	-
Silver chloride	>5.11 g/kg (rat)	-	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects The product contains following substances which are hazardous for the environment. Very

toxic to aquatic organisms.

Potassium chloride solution 4M saturated with silver chloride

Component	Freshwater Fish	Water Flea	Freshwater Algae
Potassium chloride	Lepomis macrochirus: LC50:	EC50: 825 mg/L/48h	EC50: 2500 mg/L/72h
	1060 mg/L /96h	_	
	Pimephales promelas: LC50: 750		
	- 1020 mg/L /96h		
Silver chloride	Pimephales promelas:	-	-
	LC50=1.93 mg/L 96h		

Component	Microtox	M-Factor
Silver chloride	-	1000 (acute)
		100 (Chronic)

12.2. Persistence and degradability

Persistence Miscible with water, Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

Revision Date 09-Feb-2024

water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

12.4. Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

Revision Date 09-Feb-2024

Potassium chloride solution 4M saturated with silver chloride

14.1. UN number UN3082

14.2. UN proper shipping name Environmentally hazardous substances, liquid, n.o.s.

Technical Shipping Name (contains Silver chloride)

14.3. Transport hazard class(es) 9
14.4. Packing group III

ADR

14.1. UN number UN3082

14.2. UN proper shipping name Environmentally hazardous substances, liquid, n.o.s.

Technical Shipping Name (contains Silver chloride)

14.3. Transport hazard class(es) 9 **14.4. Packing group** III

<u>IATA</u>

14.1. UN number UN3082

14.2. UN proper shipping name Environmentally hazardous substances, liquid, n.o.s.

Technical Shipping Name (contains Silver chloride)

14.3. Transport hazard class(es) 9 **14.4. Packing group** III

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Potassium chloride	7447-40-7	231-211-8	-	-	X	X	KE-29086	Χ	X
Water	7732-18-5	231-791-2	-	-	X	Х	KE-35400	Χ	-
Silver chloride	7783-90-6	232-033-3	-	-	X	X	KE-31267	Х	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Potassium chloride	7447-40-7	X	ACTIVE	Х	-	X	Х	Х
Water	7732-18-5	X	ACTIVE	Х	-	Х	Х	Х
Silver chloride	7783-90-6	Х	ACTIVE	Х	-	X	Х	Х

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Potassium chloride	7447-40-7	-	-	-
Water	7732-18-5	-	-	-
Silver chloride	7783-90-6	-	-	-

Potassium chloride solution 4M saturated with silver chloride

Revision Date 09-Feb-2024

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report	
		Notification	Requirements	
Potassium chloride	7447-40-7	Not applicable	Not applicable	
Water	7732-18-5	Not applicable	Not applicable	
Silver chloride	7783-90-6	Not applicable	Not applicable	

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification Water endangering class = 1 (self classification)

	Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class		
I	Potassium chloride	WGK1			

	Component	France - INRS (Tables of occupational diseases)	
Γ	Potassium chloride	Tableaux des maladies professionnelles (TMP) - RG 67	

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H290 - May be corrosive to metals

H410 - Very toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)
Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
NZIOC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

EC50 - Effective Concentration 50%

LD50 - Lethal Dose 50%

Transport Association

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

Predicted No Effect Concentration (PNEC)

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

Revision Date 09-Feb-2024

Potassium chloride solution 4M saturated with silver chloride

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method Calculation method

Environmental hazards

Training Advice

Chemical incident response training.

17-Oct-2018 **Creation Date Revision Date** 09-Feb-2024 **Revision Summary** Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet