

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 19-May-2010

Revision Date 06-Dec-2024

Revision Number 9

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

| 1.1. Product identifier | |
|---|--|
| Product Description: Cat No. : | <u>4-Biphenylmagnesium bromide, 0.5M solution in THF</u> 431620000; 431621000 |
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against |
| Recommended Use Uses advised against | Laboratory chemicals. No Information available |
| 1.3. Details of the supplier of the sa | fety data sheet |
| Company | UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium |
| E-mail address | begel.sdsdesk@thermofisher.com |
| 1.4. Emergency telephone number | For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe: +32 14 57 52 99 |

SECTION 2: HAZARDS IDENTIFICATION

CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Flammable liquids

Health hazards

Acute oral toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Carcinogenicity Category 2 (H225)

Category 4 (H302) Category 1 B (H314) Category 1 (H318) Category 2 (H351)

4-BiphenyImagnesium bromide, 0.5M solution in THF

Revision Date 06-Dec-2024

Specific target organ toxicity - (single exposure)

Category 3 (H335) (H336)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

- H225 Highly flammable liquid and vapor
- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer
- EUH014 Reacts violently with water
- EUH019 May form explosive peroxides

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

2.3. Other hazards

Reacts violently with water

Toxic to terrestrial vertebrates This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-----------------------------|-----------|-------|----------|---|
| 4-Biphenylmagnesium bromide | 3315-91-1 | | 13-14 | Skin Corr. 1B (H314) Eye Dam. 1 (H318) (EUH014) |

4-BiphenyImagnesium bromide, 0.5M solution in THF

Revision Date 06-Dec-2024

| Tetrahydrofuran | 109-99-9 | 203-726-8 | 86-87 | Flam. Liq. 2 (H225) |
|-----------------|----------|-----------|-------|---------------------|
| | | | | Acute Tox. 4 (H302) |
| | | | | Eye Irrit. 2 (H319) |
| | | | | STOT SE 3 (H335) |
| | | | | STOT SE 3 (H336) |
| | | | | Carc. 2 (H351) |
| | | | | (EUH019) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-----------------|---|----------|-----------------|
| Tetrahydrofuran | Acute Tox. 4 :: C>82.5% Eye Irrit. 2 :: C>=25% | - | - |
| | STOT SE 3 :: C>=25% | | |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
|------------------------------------|--|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately. |
| Ingestion | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. |
| Inhalation | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| 4.2. Most important symptoms and | effects, both acute and delayed |
| | Causes burns by all exposure routes. Symptoms of overexposure may be beadache |

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

4-Biphenylmagnesium bromide, 0.5M solution in THF

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons Water.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Magnesium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

4-BiphenyImagnesium bromide, 0.5M solution in THF

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Store under an inert atmosphere. Shelf life 12 months. May form explosive peroxides on prolonged storage. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Corrosives area. Keep away from water or moist air.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-----------------|------------------------------------|-------------------------------------|------------------------------------|
| Tetrahydrofuran | STEL: 100 ppm 15 min | TWA: 50 ppm (8h) | TWA: 50 ppm 8 hr. |
| | STEL: 300 mg/m ³ 15 min | TWA: 150 mg/m ³ (8h) | TWA: 150 mg/m ³ 8 hr. |
| | TWA: 50 ppm 8 hr | STEL: 100 ppm (15min) | STEL: 100 ppm 15 min |
| | TWA: 150 mg/m ³ 8 hr | STEL: 300 mg/m ³ (15min) | STEL: 300 mg/m ³ 15 min |
| | Skin | Skin | Skin |

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL) See table for values

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|-------------------------------------|---------------------------------|------------------------------------|-----------------------------------|-----------------------------------|
| Tetrahydrofuran 109-99-9 (86-87) | | | | DNEL = 12.6mg/kg bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---------------------------------------|----------------------------------|--|---------------------------------------|---------------------------------------|
| Tetrahydrofuran 109-99-9 (86-87) | DNEL = 300mg/m ³ | DNEL = 96mg/m ³ | DNEL = 150mg/m ³ | DNEL = 72.4mg/m ³ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water sediment | | Microorganisms in sewage treatment | |
|-----------------|-----------------|-------------------------|-----------------|---------------------------------------|------------------|
| Tetrahydrofuran | PNEC = 4.32mg/L | PNEC = 23.3mg/kg | PNEC = 21.6mg/L | PNEC = 4.6mg/L | PNEC = 2.13mg/kg |

4-BiphenyImagnesium bromide, 0.5M solution in THF

Revision Date 06-Dec-2024

| 109-99-9 (86-87) | sediment dw | | soil dw |
|--------------------|-------------|--|---------|
| | | | |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|------------------|------------------|--------------------------|------------------------------|----------------|-----|
| Tetrahydrofuran | PNEC = 0.432mg/L | PNEC = 2.33mg/kg | | PNEC = 67mg/kg | |
| 109-99-9 (86-87) | | sediment dw | | food | |

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

| Personal protective equ Eye Protection | equipment Goggles (European standard - EN 166) | | | | | |
|---|---|----------------------|-----------------------|---|--|--|
| Hand Protection | Hand Protection Protective gloves | | | | | |
| Glove material Butyl rubber | Breakthrough time See manufacturers recommendations | Glove thickness - | EU standard EN 374 | Glove comments (minimum requirement) | | |
| Neoprene gloves | | | | | | |
| Skin and body prote | ction Long sle | eved clothing. | | | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|---|
| Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371 |
| Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted |
| |

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

4-Biphenylmagnesium bromide, 0.5M solution in THF

| Physical State | Liquid | |
|--|--|---|
| Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits | No information available No data available No data available No data available 65 °C / 149 °F Highly flammable Not applicable No data available | @ 760 mmHg On basis of test data Liquid |
| Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/water Component Tetrahydrofuran Vapor Pressure Density / Specific Gravity Bulk Density Vapor Density Particle characteristics | -17 °C / 1.4 °F No data available No information available No information available No data available Reacts violently with water No information available er) Iog Pow 0.45 No data available 0.961 Not applicable No data available (liquid) Not applicable | Method - No information available Liquid (Air = 1.0) |
| 9.2. Other information | | |
| Explosive Properties | Vapors may form explosive mixtures | with air |
| SI | ECTION 10: STABILITY AND | REACTIVITY |
| 10.1. Reactivity | Reactive Hazard; Yes | |
| 10.2. Chemical stability | Reacts violently with water. May form | explosive peroxides. |
| 10.3. Possibility of hazardous react | ions_ | |
| Hazardous Polymerization Hazardous Reactions | Hazardous polymerization does not occur. None under normal processing. Reacts violently with water. | |
| 10.4. Conditions to avoid | | Keep away from open flames, hot surfaces and xposure to light. Exposure to moist air or water. |
| 10.5. Incompatible materials | Water. Acids. Acid chlorides. Chlorofo | rmates. Alcohols. oxygen. Oxidizing agent. |
| 10.6. Hazardous decomposition pro | ducts Carbon monoxide (CO). Carbon dioxi | de (CO2). Magnesium oxides. |

Carbon monoxide (CO). Carbon dioxide (CO₂). Magnesium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity; Oral

Inhalation

Dermal

Category 4 Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------------|--------------------|-----------------------|--------------------|
| Tetrahydrofuran | 1650 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | 180 mg/L (Rat)1 h |
| | | | 53.9 mg/L (Rat)4 h |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

| Respiratory | No data available |
|-------------|-------------------|
| Skin | No data available |

| Component | Test method | Test species | Study result |
|------------------|-------------------------|--------------|-----------------|
| Tetrahydrofuran | Local Lymph Node Assay | mouse | non-sensitising |
| 109-99-9 (86-87) | OECD Test Guideline 429 | | _ |

(e) germ cell mutagenicity;

No data available

| Component | Test method | Test species | Study result |
|------------------|------------------------------|--------------|--------------|
| Tetrahydrofuran | OECD Test Guideline 476 | in vivo | negative |
| 109-99-9 (86-87) | Gene cell mutation | Mammalian | |
| | | | |
| | OECD Test Guideline 473 | | |
| | Chromosomal aberration assay | in vitro | negative |
| | | Mammalian | |

(f) carcinogenicity;

Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen Limited evidence of a carcinogenic effect

| Component | EU | UK | Germany | IARC |
|-----------------|----|----|---------|----------|
| Tetrahydrofuran | | | | Group 2B |

| Component | Test method | Test species / Duration | Study result |
|------------------------------------|--------------------------------|-------------------------|-------------------|
| Tetrahydrofuran 109-99-9(86-87) | OECD Test Guideline 416 | Rat 2 Generation | NOAEL = 3,000 ppm |
| n) STOT-single exposure; | Category 3 | | |
| Results / Target organs | Respiratory system, Central ne | rvous system (CNS). | |
| | | | |
| i) STOT-repeated exposure; | No data available | | |

| (j) aspiration hazard; | No data available |
|---|--|
| Symptoms / effects,both acute and delayed | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression. |

11.2. Information on other hazards

| Endocrine Disrupting Properties | Assess endocrine disrupting properties for human health. | This product does not contain any |
|---------------------------------|--|-----------------------------------|
| | known or suspected endocrine disruptors. | |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Do not empty into drains. Reacts with water so no ecotoxicity data for the substance is available.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-----------------|----------------------------|-----------------------|------------------|
| Tetrahydrofuran | 2160 mg/l LC50 = 96 h | EC50 48 h 3485 mg/l | |
| | Pimephales promelas | EC50: >10000 mg/L/24h | |
| | Leuciscus idus: LC50: 2820 | _ | |
| | mg/L/48h | | |

| 12.2. Persistence and degradability | No information available |
|-------------------------------------|--|
| Persistence | Persistence is unlikely, based on information available. |
| Degradability | Reacts with water. |
| Degradation in sewage | Reacts violently with water. |
| treatment plant | |

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Tetrahydrofuran

| Component | log Pow | Bioconcentration factor (BCF) |
|-----------------|---------|-------------------------------|
| Tetrahydrofuran | 0.45 | No data available |

| <u>12.4. Mobility in soil</u> | The product contains volatile organic compounds (VOC) which will evaporate easily fron surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in air | | | |
|--|--|---|--|--|
| <u>12.5. Results of PBT and vPvB</u> assessment | Reacts violently with water. | | | |
| <u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information | | | | |
| Component | EU - Endocrine Disrupters Candidate List | EU - Endocrine Disruptors - Evaluated Substances | | |

Group III Chemical

<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
|--|--|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition. |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. |
| Other Information | Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. |

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| 14.1. UN number 14.2. UN proper shipping name Technical Shipping Name 14.3. Transport hazard class(es) Subsidiary Hazard Class 14.4. Packing group | UN2924 Flammable liquid, corrosive, n.o.s. Tetrahydrofuran, 4-Biphenylmagnesium bromide 3 8 II |
|---|---|
| ADR | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u> | UN2924 Flammable liquid, corrosive, n.o.s. Tetrahydrofuran, 4-Biphenylmagnesium bromide 3 8 II |
| IATA | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u> | UN2924 Flammable liquid, corrosive, n.o.s. Tetrahydrofuran, 4-Biphenylmagnesium bromide 3 8 II |
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|-----------------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| 4-Biphenylmagnesium bromide | 3315-91-1 | - | - | - | - | - | - | - | - |
| Tetrahydrofuran | 109-99-9 | 203-726-8 | - | - | Х | Х | KE-33454 | Х | X |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------------------------|-----------|------|---|-----|------|------|-------|-------|
| 4-Biphenylmagnesium bromide | 3315-91-1 | - | - | - | - | - | - | - |
| Tetrahydrofuran | 109-99-9 | Х | ACTIVE | Х | - | Х | Х | Х |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------------------|-----------|---|---------------------------|---|
| 4-BiphenyImagnesium bromide | 3315-91-1 | - | - | - |
| Tetrahydrofuran | 109-99-9 | - | Use restricted. See entry | - |
| | | | 75. | |
| | | | (see link for restriction | |
| | | | details) | |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|--------------------------------|-----------|---|--|
| 4-Biphenylmagnesium bromide | 3315-91-1 | Not applicable | Not applicable |
| Tetrahydrofuran | 109-99-9 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

4-BiphenyImagnesium bromide, 0.5M solution in THF

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------|---------------------------------------|-------------------------|
| Tetrahydrofuran | WGK1 | |

| Component | France - INRS (Tables of occupational diseases) |
|-----------------|--|
| Tetrahydrofuran | Tableaux des maladies professionnelles (TMP) - RG 84 |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|-------------------------------------|--|---|--|
| Tetrahydrofuran 109-99-9 (86-87) | | Group I | |

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer
- EUH014 Reacts violently with water
- EUH019 May form explosive peroxides
- H225 Highly flammable liquid and vapor
- H319 Causes serious eye irritation

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japanese Existing and New Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances NZIOC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists **DNEL** - Derived No Effect Level **RPE** - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

- -

4-BiphenyImagnesium bromide, 0.5M solution in THF

Revision Date 06-Dec-2024

| PBT - Persistent, Bioaccumulative, Toxic | vPvB - very Persistent, very Bioaccumulative |
|---|---|
| ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, F | ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound) |
| Classification and procedure used to derive the classification Physical hazards On basis of test data | on for mixtures according to Regulation (EC) 1272/2008 [CLP]: |

Training Advice

Environmental hazards

Health Hazards

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Calculation method Calculation method

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

| Creation Date | 19-May-2010 |
|------------------|-----------------|
| Revision Date | 06-Dec-2024 |
| Revision Summary | Not applicable. |

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

. Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet