

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 22-Jun-2008 Revision Date 09-Feb-2024 Revision Number 9

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Soda lime - not hygroscopic

Cat No. : S/1600/53

Synonyms A precipitate solid hydrate formed from Hydroxides of Calcium and Sodium

CAS No 8006-28-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Absorbent. Laboratory chemicals.

Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

FSUS1600

Soda lime - not hygroscopic

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation

Category 1 B (H314) Category 1 (H318)

Revision Date 09-Feb-2024

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Soda lime	8006-28-8		-	Skin Corr. 1B (H314) Eye Dam. 1 (H318)
Calcium hydroxide	1305-62-0	215-137-3	75 - 85	Eye Dam. 1 (H318) Skin Irrit. 2 (H315) STOT SE 3 (H335)
Sodium hydroxide	1310-73-2	215-185-5	< 4	Met. Corr. 1 (H290) Skin Corr. 1A (H314) Eye Dam. 1 (H318)
Water	7732-18-5	231-791-2	10 - 20	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Sodium hydroxide	Skin Corr. 1A :: C>=5%	=	-
	Skin Corr. 1B :: 2%<=C<5%		
	Met. Corr. 1 :: C ≥ 2%		

Soda lime - not hygroscopic

Revision Date 09-Feb-2024

Eye Irrit. 2 :: 0.5%<=C<2%	
Skin Irrit. 2 :: 0.5%<=C<2%	

Note

Soda lime CAS # 8006-28-8

Components	Reach Registration Number	
Calcium hydroxide	01-2119475151-45	
Sodium hydroxide	01-2119457892-27	

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. **Eve Contact**

Immediate medical attention is required. Keep eye wide open while rinsing.

Wash off immediately with soap and plenty of water while removing all contaminated **Skin Contact**

clothes and shoes. Call a physician immediately.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Ingestion

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

> control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes.

Soda lime - not hygroscopic

Revision Date 09-Feb-2024

Hazardous Combustion Products

Calcium oxides, Sodium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

6.2. Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 8B Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005

Soda lime - not hygroscopic

Revision Date 09-Feb-2024

Work Exposure Limits, Fourth edition. Published 2020. **IRE -** 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Calcium hydroxide	STEL: 4 mg/m ³ 15 min	TWA: 1 mg/m ³ (8h)	TWA: 1 mg/m ³ 8 hr.
	STEL: 15 mg/m ³ 15 min	STEL: 4 mg/m ³ (15min)	respirable dust
	TWA: 1 mg/m ³ 8 hr		STEL: 4 mg/m ³ 15 min
	TWA: 5 mg/m ³ 8 hr		
Sodium hydroxide	2 mg/m³ STEL		STEL: 2 mg/m ³ 15 min

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Calcium hydroxide 1305-62-0 (75 - 85)	DNEL = 4mg/m ³		DNEL = 1mg/m ³	
Sodium hydroxide 1310-73-2 (< 4)			DNEL = 1mg/m ³	

Predicted No Effect Concentration (PNEC)

See values below.

	Component	Fresh water	Fresh water sediment		Microorganisms in sewage treatment	, ,
Г	Calcium hydroxide	PNEC = 0.49mg/L		PNEC = 0.49mg/L	PNEC = 3mg/L	PNEC = 1080mg/kg
L	1305-62-0 (75 - 85)					soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Calcium hydroxide 1305-62-0 (75 - 85)	PNEC = 0.32mg/L				

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Neoprene	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g.

Soda lime - not hygroscopic Revision Date 09-Feb-2024

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

Solid

Solid

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid

Appearance White - Light grey

Odor Odorless

Odor Threshold
Melting Point/Range
Softening Point
Boiling Point/Range
No data available
No data available
No information available

Flammability (liquid) Not applicable

Flammability (solid,gas) No information available

Explosion Limits No data available

Flash Point Not applicable Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data available

pH 12 - 14 Alkaline Viscosity Not applicable Solid

Water Solubility Slightly soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure No information available

Density / Specific Gravity 0.9

Bulk Density
No data available
Not applicable

Particle characteristics No data available

9.2. Other information

Evaporation Rate Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Soda lime - not hygroscopic Revision Date 09-Feb-2024

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

None under normal processing.

10.4. Conditions to avoid

Exposure to air.

10.5. Incompatible materials

Halogenated solvents.

10.6. Hazardous decomposition products

Calcium oxides. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium hydroxide	LD50 = 7340 mg/kg (Rat)	LD50 > 2500 mg/kg (Rat)	LC50 > 6.04 mg/L (Rat) 4 h
Sodium hydroxide	140 - 340 mg/kg (Rat)	1350 mg/kg (Rabbit)	-
Water	-	-	-

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Revision Date 09-Feb-2024 Soda lime - not hygroscopic

No information available. **Target Organs**

Not applicable (j) aspiration hazard;

Solid

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity **Ecotoxicity effects**

Component	Freshwater Fish	Water Flea	Freshwater Algae
Calcium hydroxide	LC50 = 160 mg/L, 96h static (Gambusia affinis)		
Sodium hydroxide	LC50: = 45.4 mg/L, 96h static (Oncorhynchus mykiss)		

12.2. Persistence and degradability

May persist, based on information available. **Persistence** Degradability Not relevant for inorganic substances.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Is not likely mobile in the environment due its low water solubility. Highly mobile in soils 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant This product does not contain any known or suspected substance **Ozone Depletion Potential** This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused **Products**

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Soda lime - not hygroscopic Revision Date 09-Feb-2024

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH

and harm aquatic organisms.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

Exempt under special provision 62

14.1. UN number

14.2. UN proper shipping name 14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

Exempt under special provision 62

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

<u>IATA</u> Not regulated

Exempt under special provision A16

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk

according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
8006-28-8	-	ı	1	X	X	-	-	-
1305-62-0	215-137-3	-	-	Х	X	KE-04518	X	X
1310-73-2	215-185-5	-	-	Х	Х	KE-31487	X	Χ
7732-18-5	231-791-2	-	-	Х	X	KE-35400	Χ	-
	8006-28-8 1305-62-0 1310-73-2	8006-28-8 - 1305-62-0 215-137-3 1310-73-2 215-185-5	8006-28-8	8006-28-8	8006-28-8 X 1305-62-0 215-137-3 - X 1310-73-2 215-185-5 - X	8006-28-8 X X 1305-62-0 215-137-3 - X X 1310-73-2 215-185-5 - X X	8006-28-8 X X - 1305-62-0 215-137-3 - X X KE-04518 1310-73-2 215-185-5 - X X KE-31487	8006-28-8 X X 1305-62-0 215-137-3 - X X KE-04518 X 1310-73-2 215-185-5 - X X KE-31487 X

Compone	nt CAS No	TSCA	TSCA Inventory	DSL	NDSL	AICS	NZIoC	PICCS

Soda lime - not hygroscopic

			notification - Active-Inactive					
Soda lime	8006-28-8	-	Ī	-	-	X	X	X
Calcium hydroxide	1305-62-0	X	ACTIVE	X	-	Х	Х	X
Sodium hydroxide	1310-73-2	X	ACTIVE	Х	-	Х	Х	Χ
Water	7732-18-5	X	ACTIVE	X	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Soda lime	8006-28-8	-	-	-
Calcium hydroxide	1305-62-0	-	-	-
Sodium hydroxide	1310-73-2	-	Use restricted. See item 75. (see link for restriction details)	-
Water	7732-18-5	-	-	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident Notification	Qualifying Quantities for Safety Report Requirements
Soda lime	8006-28-8	Not applicable	Not applicable
Calcium hydroxide	1305-62-0	Not applicable	Not applicable
Sodium hydroxide	1310-73-2	Not applicable	Not applicable
Water	7732-18-5	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Calcium hydroxide	WGK1	
Sodium hydroxide	WGK1	

Revision Date 09-Feb-2024

Revision Date 09-Feb-2024

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sodium hydroxide 1310-73-2 (< 4)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eve damage

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Inventory

Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health Hazards Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Creation Date

22-Jun-2008

Soda lime - not hygroscopic Revision Date 09-Feb-2024

Revision Date 09-Feb-2024 Revision Summary Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet