

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 05-Dec-2011

Revision Date 19-Oct-2023

Revision Number 10

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description:
Cat No. :
Synonyms
CAS No
Molecular Formula
<b>REACH registration number</b>

Aluminium sulfate hexadecahydrate A/2520/61 Aluminum sulfate hexadecahydrate. 16828-11-8 Al2(SO4)3.nH2O 01-2119531538-36 (for the anhydrous form)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

### EU entity/business name

Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887 Tel: 01509 231166

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Substances/mixtures corrosive to metal

Category 1 (H290)

#### Aluminium sulfate hexadecahydrate

#### Health hazards

Serious Eye Damage/Eye Irritation

Category 1 (H318)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

### Hazard Statements

H290 - May be corrosive to metals

H318 - Causes serious eye damage

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Sulfuric acid, aluminium salt (3:2), hexadecahydrate	16828-11-8		100	Eye Dam. 1 (H318) Met. Corr. 1 (H290)
Aluminum sulfate	10043-01-3	EEC No. 233-135-0	-	Eye Dam. 1 (H318)

01-2119531538-36 (for the anhydrous form)

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.
Self-Protection of the First Aider	Use personal protective equipment as required.
4.2. Most important symptoms and	effects, both acute and delayed
	None reasonably foreseeable. Causes eye burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Notes	to Ph	vsician	
--------------------	-------	-------	---------	--

Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

# Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Sulfur oxides.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Aluminium sulfate hexadecahydrate

#### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in metal containers.

Technical Rules for Hazardous Substances (TRGS) 510 Class 13 Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### Exposure limits

List source(s): UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	The United Kingdom	European Union	Ireland
Sulfuric acid, aluminium salt (3:2), hexadecahydrate	STEL: 6 mg/m <sup>3</sup> 15 min		
	TWA: 2 mg/m <sup>3</sup> 8 hr		
Aluminum sulfate	STEL: 6 mg/m <sup>3</sup> 15 min		
	TWA: 2 mg/m <sup>3</sup> 8 hr		

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values; (for the anhydrous form)

#### **Predicted No Effect Concentration (PNEC)** See values below.

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective ec Eye Protection		(European standard	1 - EN 166)	
Hand Protection	Protectiv	ve gloves		
Glove material Neoprene PVC Natural rubber	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
Refer to manufacturer/s insure gloves are suita ensitisation effects, als f cuts, abrasion.	ructions regarding perme supplier for information) ble for the task: Chemic	al compatability, Dexi n the specific local co	terity, Operational cond	ovided by the supplier of the gloves. ditions, User susceptibility, e.g. he product is used, such as the dange
Respiratory Protect		orkers are facing con		exposure limit they must use

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State	Solid
Appearance	White
Odor	No information available
Odor Threshold	No data available
Melting Point/Range	86 °C / 186.8 °F
Softening Point	No data available
Boiling Point/Range	No information available

#### Revision Date 19-Oct-2023

Flammability (liquid)	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
-		
Flash Point	Not applicable	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	2.5	(313 g/l @ 20°C)
Viscosity	Not applicable	Solid
Water Solubility	Soluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/w	vater)	
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	1690 kg/m³	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	
9.2. Other information		
Molecular Formula	Al2(SO4)3.nH2O	
Molecular Weight	342.14	
Evaporation Rate	Not applicable - Solid	

**SECTION 10: STABILITY AND REACTIVITY** 

10.1. Reactivity	None known, based on information available	
10.2. Chemical stability	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.	
10.4. Conditions to avoid	Incompatible products. Excess heat. Avoid dust formation.	
10.5. Incompatible materials	Strong oxidizing agents. Aluminium. Metals.	

### 10.6. Hazardous decomposition products

Aluminium sulfate hexadecahydrate

Sulfur oxides.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Product Information** 

(a) acute toxicity;	
Oral	Based on available data, the classification criteria are not met
Dermal	Based on available data, the classification criteria are not met
Inhalation	Based on available data, the classification criteria are not met

#### Aluminium sulfate hexadecahydrate

Revision Date 19-Oct-2023

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Aluminum sulfate	6207 mg/kg (Mouse)	>5 g/kg ( Rabbit)	-
(b) skin corrosion/irritation;	No data available		
(c) serious eye damage/irritation;	Category 1		
(d) respiratory or skin sensitization;			
Respiratory	No data available		
Skin	No data available		
(e) germ cell mutagenicity;	No data available		
(f) carcinogenicity;	No data available		
	There are no known carcinoge	nic chemicals in this product	
	Ŭ		
(g) reproductive toxicity;	No data available		
	<b>N</b> I 17 N II		
h) STOT-single exposure;	No data available		
i) STOT-repeated exposure;	No data available		
Target Organs	No information available.		
(j) aspiration hazard;	Not applicable		
	Solid		
Symptoms / effects,both acute and delayed	No information available.		
Jelayeu			
11.2. Information on other hazards			
Fudeenine Diemmtine Descention	Appage and arise discusting an	concritico for human haalth This	
Endocrine Disrupting Properties	Assess endocrine disrupting bi	operties for human health. This	product does not contain a

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
Aluminum sulfate	LC50: = 27.9 mg/L, 96h static (Pimephales promelas)	136 mg/L EC50 15 min 38.2 mg/L EC50 48h	

#### 12.2. Persistence and degradability Persistence

Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances, hydrolyses.

Degradability

#### 12.3. Bioaccumulative potential Bioaccumula

Component	log Pow	Bioconcentration factor (BCF)
Aluminum sulfate		>=76 - <=190 dimensionless
		362 dimensionless
<u>12.4. Mobility in soil</u>	The product is water soluble, and may spread environment due to its water solubility. Highly	
<u>12.5. Results of PBT and vPvB</u> assessment	No data available for assessment.	
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or s	uspected endocrine disruptors
<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or s This product does not contain any known or s	•
SE	ECTION 13: DISPOSAL CONSIDER	ATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Should not be released into the environment. Dispose of in accordance with local regulations. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer.

# **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

14.1. UN number	UN3260
14.2. UN proper shipping name	Corrosive solid, acidic, inorganic, n.o.s.
Technical Shipping Name	Aluminium sulfate
14.3. Transport hazard class(es)	8
14.4. Packing group	III

#### <u>ADR</u>

14.1. UN number
14.2. UN proper shipping name
Technical Shipping Name

UN3260 Corrosive solid, acidic, inorganic, n.o.s. Aluminium sulfate

Revision Date 19-Oct-2023

8 111
UN3260 Corrosive solid, acidic, inorganic, n.o.s. Aluminium sulfate 8 III
No hazards identified
No special precautions required.
Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Aluminium sulfate hexadecahydrate

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Sulfuric acid, aluminium salt (3:2),	16828-11-8	-	-	-	-	Х	-	-	-
hexadecahydrate									
Aluminum sulfate	10043-01-3	233-135-0	-	-	Х	Х	KE-01042	Х	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Sulfuric acid, aluminium salt (3:2),	16828-11-8	-	-	-	-	Х	Х	Х
hexadecahydrate								
Aluminum sulfate	10043-01-3	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Sulfuric acid, aluminium salt (3:2), hexadecahydrate	16828-11-8	-	-	-
Aluminum sulfate	10043-01-3	-	-	-

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Sulfuric acid, aluminium salt (3:2), hexadecahydrate	16828-11-8	Not applicable	Not applicable
Aluminum sulfate	10043-01-3	Not applicable	Not applicable

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Aluminum sulfate	WGK1	

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

#### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H318 - Causes serious eye damage

#### Legend

CAS - Chemical Abstracts Service	<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory	
<b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances <b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances <b>IECSC</b> - Chinese Inventory of Existing Chemical Substances <b>KECL</b> - Korean Existing and Evaluated Chemical Substances		
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	<ul> <li>TWA - Time Weighted Average</li> <li>IARC - International Agency for Research on Cancer</li> <li>Predicted No Effect Concentration (PNEC)</li> <li>LD50 - Lethal Dose 50%</li> <li>EC50 - Effective Concentration 50%</li> <li>POW - Partition coefficient Octanol:Water</li> <li>vPvB - very Persistent, very Bioaccumulative</li> </ul>	
ADP - European Agreement Concerning the International Carriage of	ICAO/IATA - International Civil Aviation Organization/International A	

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

#### Aluminium sulfate hexadecahydrate

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

#### MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date	05-Dec-2011
Revision Date	19-Oct-2023
Revision Summary	Not applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet