

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 07-Jun-2011

Revision Date 09-Sep-2024

Revision Number 13

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| Product Description: | Nitric acid S.G. 1.42 (70%) |
|---------------------------|-----------------------------|
| Cat No. : | N/2222/PB17 |
| Index No | 007-004-00-1 |
| CAS No | 7697-37-2 |
| EC No | 231-714-2 |
| REACH registration number | 01-2119487297-23 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended UseLaboratory chemicals.Sector of useSU3 - Industrial uses: Uses of substances as such or in preparations at industrial sitesProduct categoryPC21 - Laboratory chemicalsProcess categoriesPROC15 - Use as a laboratory reagentEnvironmental release categoryERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)Uses advised againstNo Information available

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough,

Leicestershire LE11 5RG, United Kingdom

EU entity/business name

Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166 Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Nitric acid S.G. 1.42 (70%)

Oxidizing liquids Substances/mixtures corrosive to metal

Health hazards

Acute Inhalation Toxicity - Vapors Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Environmental hazards

Based on available data, the classification criteria are not met

Category 3 (H272) Category 1 (H290)

Category 3 (H331) Category 1 A (H314) Category 1 (H318)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H272 - May intensify fire; oxidizer H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H331 - Toxic if inhaled EUH071 - Corrosive to the respiratory tract

Precautionary Statements

P220 - Keep away from clothing and other combustible materials

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

| Component | CAS No | EC No | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and |
|-----------|--------|-------|----------|--|
|-----------|--------|-------|----------|--|

Nitric acid S.G. 1.42 (70%)

Revision Date 09-Sep-2024

| | | | | UK SI 2020/1567 |
|---------------------------|-----------|-----------|-------|--|
| Nitric acid …% [C ≤ 70 %] | 7697-37-2 | 231-714-2 | 65-70 | Ox. Liq. 3 (H272) Met. Corr. 1 (H290) Acute Tox. 3 (H331) Skin Corr. 1A (H314) Eye Dam. 1 (H318) (EUH071) |
| Water | 7732-18-5 | 231-791-2 | 30-35 | - |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|---------------------------|---|----------|-----------------|
| Nitric acid …% [C ≤ 70 %] | Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: 65%<=C<99% Acute Tox. 1 (inhal) :: C>=70% Acute Tox. 3 (inhal) :: 70%>C>=26.5% Acute Tox. 4 (inhal) :: 26.5%>C>=13.25% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20% Met. Corr. 1 :: C>=2% EUH071 :: C>=20% | - | - |

| Component | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) |
|---|---------------------------------|-------------------------|-----------------------------|
| Nitric acid …% [C ≤ 70 %] | - | - | ATE = 2.65 mg/L (vapours) |
| ECHA (RAC) - Committee for Risk Assessm | ent - European CHemicals Agency | , | |
| ATE - Acute Toxiciy Estimate | | | |

| REACH registration number | 01-2119487297-23 |
|---------------------------|------------------|

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
|------------------------------------|--|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. |
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. |
| Inhalation | If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. |
| Self-Protection of the First Aider | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. |
| 4.2. Most important symptoms and | effects, both acute and delayed |

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

Nitrogen oxides (NOx), Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Refer to protective measures listed in Sections 7 and 8

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from

clothing and other combustible materials.

Hygiene Measures

When using do not eat, drink or smoke. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Provide regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Corrosives area. Do not store in metal containers. Keep in properly labeled containers.

Technical Rules for Hazardous Substances (TRGS) 510Class 5.1BStorage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|---------------------------|------------------------------------|-------------------------------------|------------------------------------|
| Nitric acid …% [C ≤ 70 %] | STEL: 1 ppm 15 min | STEL: 1 ppm (15min) | STEL: 1 ppm 15 min |
| | STEL: 2.6 mg/m ³ 15 min | STEL: 2.6 mg/m ³ (15min) | STEL: 2.6 mg/m ³ 15 min |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Nitric acid S.G. 1.42 (70%)

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

| Personal protective equ | uipment | | | |
|-------------------------|-------------------|--------------------|-------------|--|
| Eye Protection | Goggles | (European standard | l - EN 166) | |
| | | | | |
| Hand Protection | Protectiv | e gloves | | |
| | | | | |
| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
| Neoprene gloves | > 480 minutes | 0.45 mm | EN 374 | As tested under EN374-3 Determination of |
| Butyl rubber | > 480 minutes | 0.56 mm | Level 6 | Resistance to Permeation by Chemicals |
| Viton (R) | > 480 minutes | 0.7 mm | | - |
| Skin and body prote | ection Long sle | eved clothing. | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|----------------------------|---|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted |
| | Device the end of the end of the end of the |

Environmental exposure controls Prevent product from entering drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical State | Liquid | |
|--|---|--------|
| Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) | Clear Colorless Light yellow Strong Acrid No data available -42 °C / -43.6 °F No data available 122 °C / 251.6 °F No data available Not applicable | Liquid |
| Explosion Limits | No data available | |
| Flash Point Autoignition Temperature Decomposition Temperature | Not applicable No data available No data available | Method |

d - No information available

Nitric acid S.G. 1.42 (70%)

| pH | 1.0 | (0.1M) |
|-----------------------------------|--------------------------|-------------|
| Viscosity | No data available | . , |
| Water Solubility | Miscible | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/ | water) | |
| Component | log Pow | |
| Nitric acid% [C ≤ 70 %] | -2.3 | |
| Vapor Pressure | No data available | |
| Density / Specific Gravity | 1.42 | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | No data available | (Air = 1.0) |
| Particle characteristics | (liquid) Not applicable | , |

9.2. Other information

Oxidizing Properties Evaporation Rate Oxidizer No information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Yes

10.2. Chemical stability

Oxidizer: Contact with combustible/organic material may cause fire.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationHazardous polymerization does not occur.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Combustible material. Excess heat. Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Strong bases. Reducing Agent. Aldehydes. Alcohols. Cyanides. Metals. Finely powdered metals. Organic materials. Ammonia. Combustible material. Strong reducing agents.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity; Oral Dermal

Inhalation

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Category 3

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------------------|-----------|-------------|---------------------------|
| Nitric acid …% [C ≤ 70 %] | - | - | LC50 = 2500 ppm. (Rat) 1h |

Nitric acid S.G. 1.42 (70%)

| | | 1 | 1 | | | |
|---|---|------------------------------------|----------------------------------|--|--|--|
| Water | - | - | - | | | |
| Component | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) | | | |
| Nitric acid …% [C ≤ 70 %] | - | - | ATE = 2.65 mg/L (vapours) | | | |
| ECHA (RAC) - Committee for Risk Assessr ATE - Acute Toxiciy Estimate | nent - European CHemicals Agenc | у | | | | |
| (b) skin corrosion/irritation; | Category 1 A | | | | | |
| (c) serious eye damage/irritation; | Category 1 | | | | | |
| (d) respiratory or skin sensitization; Respiratory Skin | Based on available data, the or Based on available data, the or | | | | | |
| (e) germ cell mutagenicity; | Based on available data, the c | classification criteria are not me | et | | | |
| (f) carcinogenicity; | Based on available data, the o | classification criteria are not me | et | | | |
| | There are no known carcinoge | enic chemicals in this product | | | | |
| (g) reproductive toxicity; | Based on available data, the c | classification criteria are not mo | et | | | |
| (h) STOT-single exposure; | Based on available data, the o | classification criteria are not mo | et | | | |
| (i) STOT-repeated exposure; | Based on available data, the c | classification criteria are not me | et | | | |
| Target Organs | None known. | | | | | |
| (j) aspiration hazard; | Based on available data, the c | classification criteria are not me | et | | | |
| Symptoms / effects,both acute and delayed | Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. | | | | | |
| 11.2. Information on other hazards | | | | | | |
| Endocrine Disrupting Properties | Assess endocrine disrupting p known or suspected endocrine | | his product does not contain any | | | |
| SE | CTION 12: ECOLOGIC | CAL INFORMATION | | | | |
| 12.1. Toxicity Ecotoxicity effects | Do not empty into drains. Larg Contains a substance which is following substances which ar | s:. Harmful to aquatic organism | ns. The product contains | | | |
| | | | | | | |

| 12.2. Persistence and degradability | |
|-------------------------------------|--|
| Persistence | Soluble in water, Persistence is unlikely, based on information available, Miscible with |
| Degradation in sewage | water. No inhibition of bacteria is expected if properly introduced into a biological treatment facility. |

Revision Date 09-Sep-2024

Nitric acid S.G. 1.42 (70%)

treatment plant

Neutralization is normally necessary before waste water is discharged into water treatment plants. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely; Bioaccumulation is unlikely Component log Pow Bioconcentration factor (BCF) Nitric acid ...% [C ≤ 70 %] -2.3 No data available

| <u>12.4. Mobility in soil</u> | The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils |
|--|--|
| <u>12.5. Results of PBT and vPvB</u> assessment | Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB). |

<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information

....

rmation This product does not contain any known or suspected endocrine disruptors

| 12.7. Other adverse effects | |
|------------------------------|--|
| Persistent Organic Pollutant | This product does not contain any known or suspected substance |
| Ozone Depletion Potential | This product does not contain any known or suspected substance |

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
|--|---|
| Contaminated Packaging | Do not reuse empty containers. Dispose of this container to hazardous or special waste collection point. |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. |
| Other Information | Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge. |

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| 14.1. UN number | UN2031 |
|----------------------------------|-------------|
| 14.2. UN proper shipping name | NITRIC ACID |
| 14.3. Transport hazard class(es) | 8 |
| Subsidiary Hazard Class | 5.1 |
| 14.4. Packing group | II |

<u>ADR</u>

| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u> | UN2031 NITRIC ACID 8 5.1 II |
|--|---|
| IATA | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u> | UN2031 NITRIC ACID 8 5.1 II |
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Nitric acid ...% [C ≤ 70 %]

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|---------------------------|-----------|-----------|---------|---------------------------------|-------|------|----------|-------|-------|
| Nitric acid …% [C ≤ 70 %] | 7697-37-2 | 231-714-2 | - | - | Х | Х | KE-25911 | Х | Х |
| Water | 7732-18-5 | 231-791-2 | - | - | X | Х | KE-35400 | Х | - |
| | | | | | | | | | |
| Component | CAS No | TSCA | notific | iventory ation - Inactive | DSL | NDSL | AICS | NZIoC | PICCS |

ACTIVE

| Water | 7732-18-5 | Х | ACTIVE | Х | - | Х | Х |
|-------|-----------|---|--------|---|---|---|---|
| | | | | | | | |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Х

7697-37-2

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---------------------------|-----------|---|--|---|
| Nitric acid …% [C ≤ 70 %] | 7697-37-2 | - | Use restricted. See entry 75. (see link for restriction details) | - |
| Water | 7732-18-5 | - | - | - |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

FSUN2222

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---------------------------|-----------|---|--|
| Nitric acid …% [C ≤ 70 %] | 7697-37-2 | Not applicable | Not applicable |
| Water | 7732-18-5 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|---------------------------|---------------------------------------|-------------------------|
| Nitric acid …% [C ≤ 70 %] | WGK1 | |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|---|--|---|--|
| Nitric acid …% [C ≤ 70 %] 7697-37-2(65-70) | Prohibited and Restricted Substances | | |

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H331 - Toxic if inhaled

- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- EUH071 Corrosive to the respiratory tract

H272 - May intensify fire; oxidizer

Legend

Nitric acid S.G. 1.42 (70%)

| CAS - Chemical Abstracts Service | TSCA - United States Toxic Substances Control Act Section 8(b) Inventory |
|---|--|
| EINECS/ELINCS - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances | |
| PICCS - Philippines Inventory of Chemicals and Chemical Substances | ENCS - Japanese Existing and New Chemical Substances |
| IECSC - Chinese Inventory of Existing Chemical Substances | AICS - Australian Inventory of Chemical Substances |
| KECL - Korean Existing and Evaluated Chemical Substances | NZIOC - New Zealand Inventory of Chemicals |
| WEL - Workplace Exposure Limit | TWA - Time Weighted Average |
| ACGIH - American Conference of Governmental Industrial Hygienists | IARC - International Agency for Research on Cancer |
| DNEL - Derived No Effect Level | Predicted No Effect Concentration (PNEC) |
| RPE - Respiratory Protective Equipment | LD50 - Lethal Dose 50% |
| LC50 - Lethal Concentration 50% | EC50 - Effective Concentration 50% |
| NOEC - No Observed Effect Concentration | POW - Partition coefficient Octanol:Water |
| PBT - Persistent, Bioaccumulative, Toxic | vPvB - very Persistent, very Bioaccumulative |
| ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road | ICAO/IATA - International Civil Aviation Organization/International Air Transport Association |
| IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code | MARPOL - International Convention for the Prevention of Pollution from Ships |
| OECD - Organisation for Economic Co-operation and Development | ATE - Acute Toxicity Estimate |
| BCF - Bioconcentration factor | VOC - (Volatile Organic Compound) |
| Key literature references and sources for data https://echa.europa.eu/information-on-chemicals | |

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

| Creation Date | 07-Jun-2011 | |
|------------------|-----------------|--|
| Revision Date | 09-Sep-2024 | |
| Revision Summary | Not applicable. | |

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet