

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 19-Apr-2010

Revision Date 20-Oct-2023

Revision Number 9

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| Product Description: | lodine solution - Wij's |
|----------------------|--------------------------|
| Cat No. : | J/4500/PB17, J/4500/PB15 |

Unique Formula Identifier (UFI) 8CND-QUWC-AW05-M0YW

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Recommended Use | Laboratory chemicals. |
|--------------------------------|---|
| Sector of use | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites |
| Product category | PC21 - Laboratory chemicals |
| Process categories | PROC15 - Use as a laboratory reagent |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet

| Company | UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium |
|---|--|
| E-mail address | begel.sdsdesk@thermofisher.com |
| <u>1.4. Emergency telephone number</u> | Tel: 01509 231166 Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887 |
| Poison Centre - Emergency information services | Ireland : National Poisons Information Centre (NPIC) - 01 809 2166 (8am-10pm, 7 days a week) Malta : +356 2395 2000 Cyprus : +357 2240 5611 |

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

lodine solution - Wij's

Revision Date 20-Oct-2023

Physical hazards

Flammable liquids

Health hazards

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-------------|---------|-----------|----------|---|
| Acetic acid | 64-19-7 | 200-580-7 | > 98 | Flam. Liq. 3 (H226) Skin Corr. 1A (H314) |

Category 3 (H226)

Category 1 A (H314) Category 1 (H318)

Iodine solution - Wij's

Revision Date 20-Oct-2023

| | | | | Eye Dam. 1 (H318) |
|---------------------|-----------|-------------------|-------|----------------------|
| lodine monochloride | 7790-99-0 | EEC No. 232-236-7 | 1 - 2 | Acute Tox. 2 (H300) |
| | | | | Acute Tox. 3 (H311) |
| | | | | Skin Corr. 1A (H314) |
| | | | | Eye Dam. 1 (H318) |
| | | | | STOT SE 3 (H335) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-------------|--|----------|-----------------|
| Acetic acid | Skin Corr. 1A (H314) :: C>=90% Skin Corr. 1B (H314) :: 25%<=C<90% Eye Irrit. 2 (H319) :: 10%<=C<25% Skin Irrit. 2 (H315) :: 10%<=C<25% | - | - |

| Components | Reach Registration Number | |
|-------------|---------------------------|--|
| Acetic acid | 01-2119475328-30 | |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. | | | | |
|------------------------------------|---|--|--|--|--|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. | | | | |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately. | | | | |
| Ingestion | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. | | | | |
| Inhalation | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. | | | | |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. | | | | |
| 4.2. Most important symptoms and | effects, both acute and delayed | | | | |
| | Causes burns by all exposure routes. Difficulty in breathing. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated | | | | |
| 1.2 Indication of any immediate m | 1.2. Indiration of any immediate mediael attention and anapial treatment needed | | | | |

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Burning produces obnoxious and toxic fumes.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Flammables area.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

The manufacturer recommends a 5 ppm PEL. List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE -** 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-------------|----------------------------|-----------------------------------|-----------------------------------|
| Acetic acid | STEL: 37 mg/m ³ | TWA: 25 mg/m ³ (15min) | TWA: 20 ppm 8 hr. |
| | STEL: 15 ppm | TWA: 10 ppm (15min) | TWA: 50 mg/m ³ 8 hr. |
| | TWA: 10 ppm | STEL: 50 mg/m ³ (8h) | STEL: 20 ppm 15 min |
| | TWA: 25 mg/m ³ | STEL: 20 ppm (8h) | STEL: 50 mg/m ³ 15 min |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / **Derived Minimum Effect Level (DMEL)** See table for values

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|------------------------------|-------------------------------------|-------------------------------------|---------------------------------------|---------------------------------------|
| Acetic acid 64-19-7(> 98) | DNEL = 25mg/m ³ | | DNEL = 25mg/m ³ | |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water | Water Intermittent | Microorganisms in | Soil (Agriculture) |
|---------------|------------------|-------------|--------------------|-------------------|--------------------|
| | | sediment | | sewage treatment | |
| Acetic acid | PNEC = 3.058mg/L | PNEC = | PNEC = 30.58mg/L | PNEC = 85mg/L | PNEC = 0.47mg/kg |
| 64-19-7 (>98) | _ | 11.36mg/kg | | | soil dw |
| | | sediment dw | | | |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|-------------|--------------|--------------------------|------------------------------|------------|-----|
| Acetic acid | PNEC = | PNEC = | | | |

Iodine solution - Wij's

Revision Date 20-Oct-2023

| 64-19-7 (> 98) | 0.3058mg/L | 1.136mg/kg | | |
|------------------|------------|-------------|--|--|
| | | sediment dw | | |

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Hand Protection

| Eye Protection | Goggles (European standard - EN 166) |
|----------------|--------------------------------------|
| | |

Protective aloves

| | nana i rotection | THOREGAN | ie gioves | | |
|---|------------------|-------------------|------------------|-------------|--|
| Γ | Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
| | Butyl rubber | > 480 minutes | 0.35 mm | Level 6 | As tested under EN374-3 Determination of |
| | Neoprene | > 480 minutes | 0.45 mm | EN 374 | Resistance to Permeation by Chemicals |
| | Viton (R) | > 480 minutes | 0.30 mm | | , |
| - | | anting language | مريدها واوغاونهم | | |

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|---------------------------------|--|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Acid gases filter Type E Yellow conforming to EN14387 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted |
| Environmental exposure controls | Prevent product from entering drains. Do not allow material to contaminate ground water system I ocal authorities should be advised if significant spillages cannot be contained |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical State | Liquid |
|---------------------|-----------------------------|
| Appearance | Amber |
| Odor | vinegar-like |
| Odor Threshold | No data available |
| Melting Point/Range | 17 - 18 °C / 62.6 - 64.4 °F |
| Softening Point | No data available |

Revision Date 20-Oct-2023

| lodine | solution | - Wij's | |
|--------|----------|---------|--|
|--------|----------|---------|--|

| Boiling Point/Range | 117.8 °C / 244 °F | @ 760 mmHg |
|------------------------------------|--------------------------|-----------------------------------|
| Flammability (liquid) | Flammable | On basis of test data |
| Flammability (solid,gas) | Not applicable | Liquid |
| Explosion Limits | Lower 4 vol% | |
| • | Upper 19.9 vol% | |
| Flash Point | 41 °C / 105.8 °F | Method - No information available |
| Autoignition Temperature | No data available | |
| Decomposition Temperature | No data available | |
| pH | 2.0 | Acidic |
| Viscosity | No data available | |
| Water Solubility | Soluble in water | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/w | vater) | |
| Component | log Pow | |
| Acetic acid | -0.2 | |
| Vapor Pressure | 11 mmHg @ 20 °C | |
| Density / Specific Gravity | 1.06 | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | 2.10 | (Air = 1.0) |
| Particle characteristics | Not applicable (liquid) | |
| | | |

9.2. Other information

Explosive Properties Evaporation Rate explosive air/vapour mixtures possible > 1 (Ether = 1.0)

SECTION 10: STABILITY AND REACTIVITY

| 10.1. Reactivity | None known, based on information available |
|---|---|
| 10.2. Chemical stability | Stable under normal conditions. |
| 10.3. Possibility of hazardous react | ions |
| Hazardous Polymerization Hazardous Reactions | Hazardous polymerization does not occur. None under normal processing. |
| 10.4. Conditions to avoid | Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. |
| 10.5. Incompatible materials | Strong oxidizing agents. Metals. Alcohols. Amines. Ammonia. Peroxides. Hydroxides. Carbonates. Acids. |
| 10.6. Hazardous decomposition pro | oducts |

Carbon monoxide (CO). Carbon dioxide (CO₂). Burning produces obnoxious and toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

| Oral | |
|------------|--|
| Dermal | |
| Inhalation | |

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

| Toxicology | data for | the com | nonents |
|------------|----------|---------|---------|
| IUNICOLOGY | uata ioi | the com | ponenta |

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|--|---|--|
| Acetic acid | 3310 mg/kg (Rat) | - | > 40 mg/L (Rat)4 h |
| (b) skin corrosion/irritation; | Category 1 A | | |
| (c) serious eye damage/irritation; | Category 1 | | |
| (d) respiratory or skin sensitization; Respiratory Skin | Based on available data, the c | lassification criteria are not met lassification criteria are not met | |
| (e) germ cell mutagenicity; | Based on available data, the c | lassification criteria are not met | |
| (f) carcinogenicity; | Based on available data, the c | lassification criteria are not met | |
| | There are no known carcinoge | enic chemicals in this product | |
| (g) reproductive toxicity; (h) STOT-single exposure; | | lassification criteria are not met lassification criteria are not met | |
| (i) STOT-repeated exposure; | Based on available data, the c | lassification criteria are not met | |
| Target Organs | None known. | | |
| (j) aspiration hazard; | Based on available data, the c | lassification criteria are not met | |
| Symptoms / effects,both acute and delayed | perforation. Symptoms of over and vomiting. Product is a corr | ing, severe damage to the delica exposure may be headache, diz rosive material. Use of gastric la oration of stomach or esophagu | zziness, tiredness, nausea avage or emesis is |
| 11.2. Information on other hazards | | | |

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

| <u>12.1. Toxicity</u> | |
|-----------------------|---|
| Ecotoxicity effects | Do not allow material to contaminate ground water system. Contains a substance which is:. |
| | Harmful to aquatic organisms. The product contains following substances which are |

hazardous for the environment.

lodine solution - Wij's

Revision Date 20-Oct-2023

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-----------|--|------------|------------------|
| | Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h | Ŭ | - |

| Component | Microtox | M-Factor |
|-------------|---|----------|
| Acetic acid | Photobacterium phosphoreum: EC50 = 8.8 | |
| | mg/L/15 min | |
| | Photobacterium phosphoreum: EC50 = 8.8 | |
| | mg/L/25 min | |
| | Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 | |
| | min | |

12.2. Persistence and degradability Persistence Persistence Persistence is unlikely. Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste treatment plant water treatment plants.

12.3. Bioaccumulative potential Bio

Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-------------|---------|-------------------------------|
| Acetic acid | -0.2 | No data available |

12.4. Mobility in soilThe product is water soluble, and may spread in water systems . Will likely be mobile in the
environment due to its water solubility. Highly mobile in soils12.5. Results of PBT and vPvB
assessmentSubstance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent
and very bioaccumulative (vPvB).12.6. Endocrine disrupting
properties
Endocrine Disruptor InformationThis product does not contain any known or suspected endocrine disruptors12.7. Other adverse effects
Persistent Organic PollutantThis product does not contain any known or suspected substance

Persistent Organic PollutantThis product does not contain any known or suspected substanceOzone Depletion PotentialThis product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
|--|--|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition. |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. |
| Other Information | Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH |

and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| 14.1. UN number 14.2. UN proper shipping name Technical Shipping Name 14.3. Transport hazard class(es) Subsidiary Hazard Class 14.4. Packing group | UN2920 Corrosive liquid, flammable, n.o.s. Contains Acetic Acid 8 3 II |
|---|---|
| ADR | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u> | UN2920 Corrosive liquid, flammable, n.o.s. Contains Acetic Acid 8 3 II |
| IATA | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u> | UN2920 Corrosive liquid, flammable, n.o.s. Contains Acetic Acid 8 3 II |
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture_

International Inventories Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|---------------------|-----------|-----------|--------|--------------------|-------|------|----------|-------|-------|
| Acetic acid | 64-19-7 | 200-580-7 | - | - | Х | Х | Х | Х | Х |
| lodine monochloride | 7790-99-0 | 232-236-7 | - | - | Х | Х | KE-21028 | Х | Х |
| | | | | | | | | | |
| Component | CAS No | TSCA | | ventory ation - | DSL | NDSL | AICS | NZIoC | PICCS |

Active-Inactive

lodine solution - Wij's

Revision Date 20-Oct-2023

| Acetic acid | 64-19-7 | Х | ACTIVE | Х | - | Х | Х | Х |
|---------------------|-----------|---|--------|---|---|---|---|---|
| lodine monochloride | 7790-99-0 | Х | ACTIVE | Х | - | Х | Х | Х |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do) Legend: X - Listed '-' - Not Listed

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---------------------|-----------|---|--|---|
| Acetic acid | 64-19-7 | - | Use restricted. See item 75. (see link for restriction details) | - |
| lodine monochloride | 7790-99-0 | - | - | - |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---------------------|-----------|---|--|
| Acetic acid | 64-19-7 | Not applicable | Not applicable |
| lodine monochloride | 7790-99-0 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------|---------------------------------------|--|
| Acetic acid | WGK1 | Class II : 0.10 g/m ³ (Massenkonzentration) |

| Component | Switzerland - Ordinance on the | Switzerland - Ordinance on | Switzerland - Ordinance of the |
|-----------|--------------------------------|-----------------------------|--------------------------------|
| - | Reduction of Risk from | Incentive Taxes on Volatile | Rotterdam Convention on the |
| | handling of hazardous | Organic Compounds (OVOC) | Prior Informed Consent |
| | substances preparation (SR | | Procedure |

lodine solution - Wij's

| | 814.81) | | |
|---------------------|---------------------------|---------|--|
| Acetic acid | Prohibited and Restricted | Group I | |
| 64-19-7 (> 98) | Substances | | |
| lodine monochloride | Prohibited and Restricted | | |
| 7790-99-0(1 - 2) | Substances | | |

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

| SECTION | 16: | OTHER | INFOR | MATION |
|---------|-----|--------------|-------|--------|
|---------|-----|--------------|-------|--------|

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H226 - Flammable liquid and vapor

H300 - Fatal if swallowed

H311 - Toxic in contact with skin

H335 - May cause respiratory irritation

Legend

| CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances | TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals |
|---|---|
| WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic | TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative |
| ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, F | ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound) |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Physical hazardsOn basis of test dataHealth HazardsCalculation methodEnvironmental hazardsCalculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Creation Date

19-Apr-2010

lodine solution - Wij's

Revision Date Revision Summary 20-Oct-2023 Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet