

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 21-May-2012

Revision Date 16-Mar-2024

Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| 1.1. Product identifier |
|-------------------------|
|-------------------------|

| Product Description: Cat No. : Synonyms | Sodium hydroxide, 25% w/v aqueous solution 43771 Caustic soda |
|---|---|
| Unique Formula Identifier (UFI) | VCVG-NF89-CS20-3T29 |
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against |
| Recommended Use Uses advised against | Laboratory chemicals. No Information available |
| 1.3. Details of the supplier of the sa | afety data sheet |
| Company | Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608 |
| E-mail address | begel.sdsdesk@thermofisher.com |
| 1.4. Emergency telephone number | For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US: 001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US: 001-800-424-9300 / Europe: 001-703-527-3887 |
| Poison Centre - Emergency information services | Ireland : National Poisons Information Centre (NPIC) - 01 809 2166 (8am-10pm, 7 days a week) Malta : +356 2395 2000 Cyprus : +357 2240 5611 |

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Sodium hydroxide, 25% w/v aqueous solution

Revision Date 16-Mar-2024

Substances/mixtures corrosive to metal

Health hazards

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16



Signal Word

Danger

Hazard Statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

2.3. Other hazards

Toxic to terrestrial vertebrates This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|------------------|-----------|-----------|----------|---|
| Water | 7732-18-5 | 231-791-2 | 70-72 | - |
| Sodium hydroxide | 1310-73-2 | 215-185-5 | 28-30 | Met. Corr. 1 (H290) Skin Corr. 1A (H314) Eye Dam. 1 (H318) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|------------------|---|----------|-----------------|
| Sodium hydroxide | Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Met. Corr. 1 :: C ≥ 2% | - | - |

Category 1 (H290)

Category 1 A (H314) Category 1 (H318)

Sodium hydroxide, 25% w/v aqueous solution

Revision Date 16-Mar-2024

| Eye Irrit. 2 :: 0.5%<=C<2% Skin Irrit. 2 :: 0.5%<=C<2% | |
|---|--|
|---|--|

| Components | Reach Registration Number | |
|------------------|---------------------------|--|
| Sodium hydroxide | 01-2119457892-27 | |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. |
|------------------------------------|--|
| Eye Contact | Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately. |
| Ingestion | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Clean mouth with water. |
| Inhalation | Remove from exposure, lie down. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| 4.2. Most important symptoms and | effects, both acute and delayed |
| | Causes burns by all exposure routes Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Sodium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 8B Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE -** 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|------------------|--------------------------|----------------|----------------------------------|
| Sodium hydroxide | 2 mg/m ³ STEL | | STEL: 2 mg/m ³ 15 min |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---|-------------------------------------|-------------------------------------|---------------------------------------|---------------------------------------|
| Sodium hydroxide 1310-73-2 (28-30) | | | DNEL = 1mg/m ³ | |

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Use only under a chemical fume hood. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

| Eye Protection | Goggles (European standard - EN 166) |
|----------------|--------------------------------------|
|----------------|--------------------------------------|

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|--------------------|-------------------|-----------------|-------------|--|
| Neoprene | > 480 minutes | 0.45 mm | Level 6 | As tested under EN374-3 Determination of |
| Butyl rubber | > 480 minutes | 0.35 mm | EN 374 | Resistance to Permeation by Chemicals |
| Nitrile rubber | > 480 minutes | 0.35 mm | | - |
| Viton (R) | > 480 minutes | 0.30 mm | | |
| Skin and body prot | tection Long sle | eved clothing. | | |

Okin and body protection Long sick

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|----------------------------|--|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Inorganic gases and vapours filter Type B Grey Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001; Valve filtering: EN405; or; Half |

Sodium hydroxide, 25% w/v aqueous solution

mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical State | Liquid | |
|---|--|-----------------------------------|
| Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits | Colorless Odorless No data available 8 °C / 46.4 °F No data available 120 °C / 248 °F No data available Not applicable No data available | @ 760 mmHg Liquid |
| Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wat Vapor Pressure | No information available No data available No data available 14 No data available Soluble No information available er) No data available | Method - No information available |
| Density / Specific Gravity Bulk Density Vapor Density Particle characteristics | 1.30-1.33 Not applicable No data available Not applicable (liquid) | Liquid (Air = 1.0) |

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

| 10.1. Reactivity | None known, based on information available Contact with metals may evolve flammable hydrogen gas |
|---|---|
| 10.2. Chemical stability | Stable under normal conditions. |
| 10.3. Possibility of hazardous react | ions |
| Hazardous Polymerization Hazardous Reactions | Hazardous polymerization does not occur. None under normal processing. |
| 10.4. Conditions to avoid | Incompatible products. Excess heat. |
| 10.5. Incompatible materials | Acids. Organic materials. Metals. Aluminium. copper Zinc. |

10.6. Hazardous decomposition products

Sodium hydroxide, 25% w/v aqueous solution

Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Product Information | No acute toxicity information is available for this product |
|-----------------------------|---|
| (a) acute toxicity; Oral | Based on ATE data, the classification criteria are not met |
| Dermal | Based on ATE data, the classification criteria are not met ATE = >2700 mg/kg |
| Inhalation | Based on ATE data, the classification criteria are not met |

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------|-----------------------|---------------------|-----------------|
| Water | - | - | - |
| Sodium hydroxide | 140 - 340 mg/kg (Rat) | 1350 mg/kg (Rabbit) | - |

| (b) skin corrosion/irritation; | Category 1 A |
|---|---|
| (c) serious eye damage/irritation; | Category 1 |
| (d) respiratory or skin sensitization; Respiratory Skin | Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met |
| (e) germ cell mutagenicity; | Based on available data, the classification criteria are not met |
| (f) carcinogenicity; | Based on available data, the classification criteria are not met |
| | There are no known carcinogenic chemicals in this product |
| | |
| (g) reproductive toxicity; | Based on available data, the classification criteria are not met |
| (h) STOT-single exposure; | Not classified Bridging principle "Dilution" |
| (i) STOT-repeated exposure; | Not classified Bridging principle "Dilution" |
| Target Organs | No information available. |
| (j) aspiration hazard; | Based on available data, the classification criteria are not met |
| Symptoms / effects,both acute and delayed | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. |
| | |

11.2. Information on other hazards

| Endocrine Disrupting Properties | Assess en |
|----------------------------------|------------|
| Endocrine Disrupting rifoperties | / 00000 01 |

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. Large amounts will affect pH and harm aquatic organisms.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|------------------|---|------------|------------------|
| Sodium hydroxide | LC50 = 45.4 mg/L, 96h static (Oncorhynchus mykiss) | | |
| | | | |

| 12.2. Persistence and degradability Persistence Degradability Degradation in sewage treatment plant | Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. Neutralization is normally necessary before waste water is discharged into water treatment plants. |
|---|---|
| 12.3. Bioaccumulative potential | Bioaccumulation is unlikely |
| <u>12.4. Mobility in soil</u> | The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils |
| <u>12.5. Results of PBT and vPvB</u> assessment | No data available for assessment. |
| <u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information | This product does not contain any known or suspected endocrine disruptors |
| <u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential | This product does not contain any known or suspected substance This product does not contain any known or suspected substance |

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
|--|--|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. |
| Other Information | Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge. |

Sodium hydroxide, 25% w/v aqueous solution

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> 14.4. Packing group | UN1824 SODIUM HYDROXIDE SOLUTION 8 II |
|---|--|
| ADR | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> 14.4. Packing group | UN1824 SODIUM HYDROXIDE SOLUTION 8 II |
| IATA | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u> | UN1824 SODIUM HYDROXIDE SOLUTION 8 II |
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|------------------|-----------|-----------|---------|---------|-------|------|----------|-------|-------|
| Water | 7732-18-5 | 231-791-2 | - | - | Х | Х | KE-35400 | Х | - |
| Sodium hydroxide | 1310-73-2 | 215-185-5 | - | - | Х | Х | KE-31487 | Х | Х |
| | | | | | | | | | |
| Component | CAS No | TSCA | TSCA In | ventory | DSL | NDSL | AICS | NZIoC | PICCS |

| Component | CAS NO | ISCA | notification - Active-Inactive | DSL | NDSL | AICS | NZIOC | PICCS |
|------------------|-----------|------|-----------------------------------|-----|------|------|-------|-------|
| Water | 7732-18-5 | Х | ACTIVE | Х | - | Х | Х | Х |
| Sodium hydroxide | 1310-73-2 | X | ACTIVE | Х | - | Х | X | X |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|------------------|-----------|---|------------------------------|---|
| Water | 7732-18-5 | - | - | - |
| Sodium hydroxide | 1310-73-2 | - | Use restricted. See item 75. | - |
| | | | (see link for restriction | |

Sodium hydroxide, 25% w/v aqueous solution

Revision Date 16-Mar-2024

details)

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report |
|------------------|-----------|---|--|
| | | Notification | Requirements |
| Water | 7732-18-5 | Not applicable | Not applicable |
| Sodium hydroxide | 1310-73-2 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|------------------|---------------------------------------|-------------------------|
| Sodium hydroxide | WGK1 | |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|-------------------|--|---|--|
| Sodium hydroxide | Prohibited and Restricted | | |
| 1310-73-2 (28-30) | Substances | | |

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Legend

Sodium hydroxide, 25% w/v aqueous solution

| CAS - Chemical Abstracts Service | TSCA - United States Toxic Substances Control Act Section 8(b) |
|---|--|
| | Inventory |
| EINECS/ELINCS - European Inventory of Existing Commercial Chemica | I DSL/NDSL - Canadian Domestic Substances List/Non-Domestic |
| Substances/EU List of Notified Chemical Substances | Substances List |
| PICCS - Philippines Inventory of Chemicals and Chemical Substances | ENCS - Japanese Existing and New Chemical Substances |
| IECSC - Chinese Inventory of Existing Chemical Substances | AICS - Australian Inventory of Chemical Substances |
| KECL - Korean Existing and Evaluated Chemical Substances | NZIOC - New Zealand Inventory of Chemicals |
| WEL - Workplace Exposure Limit | TWA - Time Weighted Average |
| ACGIH - American Conference of Governmental Industrial Hygienists | IARC - International Agency for Research on Cancer |
| DNEL - Derived No Effect Level | Predicted No Effect Concentration (PNEC) |
| RPE - Respiratory Protective Equipment | LD50 - Lethal Dose 50% |
| LC50 - Lethal Concentration 50% | EC50 - Effective Concentration 50% |
| NOEC - No Observed Effect Concentration | POW - Partition coefficient Octanol:Water |
| PBT - Persistent, Bioaccumulative, Toxic | vPvB - very Persistent, very Bioaccumulative |
| ADR - European Agreement Concerning the International Carriage of | ICAO/IATA - International Civil Aviation Organization/International Air |
| Dangerous Goods by Road | Transport Association |
| IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code | MARPOL - International Convention for the Prevention of Pollution from Ships |
| OECD - Organisation for Economic Co-operation and Development | ATE - Acute Toxicity Estimate |
| BCF - Bioconcentration factor | VOC - (Volatile Organic Compound) |
| Key literature references and sources for data | |
| https://echa.europa.eu/information-on-chemicals | |
| Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, I | RTECS |
| | |
| Classification and procedure used to derive the classification | on for mixtures according to Regulation (EC) 1272/2008 [CLP]: |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Physical hazardsOn basis of test dataHealth HazardsCalculation methodEnvironmental hazardsCalculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

| Prepared By | Health, Safety and Environmental Department |
|------------------|--|
| Creation Date | 21-May-2012 |
| Revision Date | 16-Mar-2024 |
| Revision Summary | New emergency telephone response service provider. |

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet