

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Description:** Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion  
**Cat No. :** 12730  
**Molecular Formula** CeO<sub>2</sub> mol/mol 0.2 nitrate, pH 1.5

**Unique Formula Identifier (UFI)** 5S1J-2683-TX04-TCM8

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

Avocado Research Chemicals Ltd.  
 (Part of Thermo Fisher Scientific)  
 Shore Road, Heysham  
 Lancashire, LA3 2XY,  
 United Kingdom  
 Office Tel: +44 (0) 1524 850506  
 Office Fax: +44 (0) 1524 850608

**E-mail address** [begel.sdsdesk@thermofisher.com](mailto:begel.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

#### Poison Centre - Emergency information services

**Ireland** : National Poisons Information Centre (NPIC) -  
**01 809 2166** (8am-10pm, 7 days a week)  
**Malta** : +356 2395 2000  
**Cyprus** : +357 2240 5611

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

**Physical hazards**

# SAFETY DATA SHEET

Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion

Revision Date 17-Mar-2024

|  |                   |
|--|-------------------|
| Substances/mixtures corrosive to metal                           | Category 1 (H290) |
| <b>Health hazards</b>  |                   |
| Skin Corrosion/Irritation  | Category 2 (H315) |
| Serious Eye Damage/Eye Irritation                                | Category 2 (H319) |
| <b>Environmental hazards</b>                                     |                   |
| Based on available data, the classification criteria are not met |                   |

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Warning

### Hazard Statements

- H290 - May be corrosive to metals
- H315 - Causes skin irritation
- H319 - Causes serious eye irritation

### Precautionary Statements

- P390 - Absorb spillage to prevent material damage
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P332 + P313 - If skin irritation occurs: Get medical advice/attention
- P337 + P313 - If eye irritation persists: Get medical advice/attention
- P280 - Wear protective gloves/protective clothing/eye protection/face protection

## 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

| Component                   | CAS No    | EC No             | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567                                  |
|-----------------------------|-----------|-------------------|----------|--|
| Water                       | 7732-18-5 | 231-791-2         | 76       | -  |
| Cerium oxide                | 1306-38-3 | EEC No. 215-150-4 | 20       | -  |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | 231-714-2         | 2        | Ox. Liq. 3 (H272)<br>Met. Corr. 1 (H290)<br>Acute Tox. 3 (H331)<br>Skin Corr. 1A (H314)<br>Eye Dam. 1 (H318)<br>(EUH071) |
| Acetic acid                 | 64-19-7   | 200-580-7         | 2        | Flam. Liq. 3 (H226)<br>Skin Corr. 1A (H314)<br>Eye Dam. 1 (H318)   |

# SAFETY DATA SHEET

Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion

Revision Date 17-Mar-2024

| Component                   | Specific concentration limits (SCL's)   | M-Factor | Component notes |
|-----------------------------|---|----------|-----------------|
| Nitric acid ...% [C ≤ 70 %] | Ox. Liq. 2 :: C>=99%<br>Ox. Liq. 3 :: 65%<=C<99%<br>Acute Tox. 1 (inhal) :: C>=70%<br>Acute Tox. 3 (inhal) ::<br>70%>C>=26.5%<br>Acute Tox. 4 (inhal) ::<br>26.5%>C>=13.25%<br>Skin Corr. 1A :: C>=20%<br>Skin Corr. 1B :: 5%<=C<20%<br>Met. Corr. 1 :: C>=2%<br>EUH071 :: C>=20% | -        | -               |
| Acetic acid                 | Skin Corr. 1A (H314) :: C>=90%<br>Skin Corr. 1B (H314) ::<br>25%<=C<90%<br>Eye Irrit. 2 (H319) ::<br>10%<=C<25%<br>Skin Irrit. 2 (H315) ::<br>10%<=C<25%  | -        | -               |

| Component                   | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) |
|-----------------------------|-----------------------|-------------------------|-----------------------------|
| Nitric acid ...% [C ≤ 70 %] | -                     | -                       | ATE = 2.65 mg/L (vapours)   |

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |  |
|---|--|
| <b>General Advice</b>                     | If symptoms persist, call a physician.   |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water.   |
| <b>Inhalation</b>                         | If not breathing, give artificial respiration. Remove to fresh air. Get medical attention if symptoms occur.                                     |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician**                      Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**Suitable Extinguishing Media**

# SAFETY DATA SHEET

Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion

Revision Date 17-Mar-2024

Not combustible. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

No information available.

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. None reasonably foreseeable.

## Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Hydrogen fluoride, Metal oxides.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510  
Storage Class (LGK) (Germany)

Class 12

### 7.3. Specific end use(s)

# SAFETY DATA SHEET

Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion

Revision Date 17-Mar-2024

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component                   | The United Kingdom   | European Union   | Ireland  |
|-----------------------------|--|--|--|
| Nitric acid ...% [C ≤ 70 %] | STEL: 1 ppm 15 min<br>STEL: 2.6 mg/m <sup>3</sup> 15 min                               | STEL: 1 ppm (15min)<br>STEL: 2.6 mg/m <sup>3</sup> (15min)   | STEL: 1 ppm 15 min<br>STEL: 2.6 mg/m <sup>3</sup> 15 min   |
| Acetic acid                 | STEL: 37 mg/m <sup>3</sup><br>STEL: 15 ppm<br>TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup> | TWA: 25 mg/m <sup>3</sup> (8h)<br>TWA: 10 ppm (8h)<br>STEL: 50 mg/m <sup>3</sup> (15min)<br>STEL: 20 ppm (15min) | TWA: 20 ppm 8 hr.<br>TWA: 50 mg/m <sup>3</sup> 8 hr.<br>STEL: 20 ppm 15 min<br>STEL: 50 mg/m <sup>3</sup> 15 min |

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component                        | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|----------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Cerium oxide<br>1306-38-3 ( 20 ) |                              |                                 |                                | DNEL = 8.33mg/kg bw/day           |

| Component                    | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Acetic acid<br>64-19-7 ( 2 ) | DNEL = 25mg/m <sup>3</sup>       |                                     | DNEL = 25mg/m <sup>3</sup>         |                                       |

#### Predicted No Effect Concentration (PNEC)

See values below.

| Component                    | Fresh water      | Fresh water sediment          | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)       |
|------------------------------|------------------|-------------------------------|--------------------|------------------------------------|--------------------------|
| Acetic acid<br>64-19-7 ( 2 ) | PNEC = 3.058mg/L | PNEC = 11.36mg/kg sediment dw | PNEC = 30.58mg/L   | PNEC = 85mg/L                      | PNEC = 0.47mg/kg soil dw |

| Component                    | Marine water      | Marine water sediment         | Marine water intermittent | Food chain | Air |
|------------------------------|-------------------|-------------------------------|---------------------------|------------|-----|
| Acetic acid<br>64-19-7 ( 2 ) | PNEC = 0.3058mg/L | PNEC = 1.136mg/kg sediment dw |                           |            |     |

### 8.2. Exposure controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

# SAFETY DATA SHEET

Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion

Revision Date 17-Mar-2024

## Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Neoprene       | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Large scale/emergency use** In case of insufficient ventilation, wear suitable respiratory equipment  
**Recommended Filter type:** Acid gases filter

**Small scale/Laboratory use** Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|  |                          |  |
|--|--------------------------|--|
| <b>Physical State</b>                          | Liquid                   |  |
| <b>Appearance</b>                              | Yellow                   |  |
| <b>Odor</b>                                    | No information available |  |
| <b>Odor Threshold</b>                          | No data available        |  |
| <b>Melting Point/Range</b>                     | No data available        |  |
| <b>Softening Point</b>                         | No data available        |  |
| <b>Boiling Point/Range</b>                     | No information available |  |
| <b>Flammability (liquid)</b>                   | No data available        |  |
| <b>Flammability (solid,gas)</b>                | Not applicable           | Liquid                                   |
| <b>Explosion Limits</b>                        | No data available        |  |
| <b>Flash Point</b>                             | No information available | <b>Method -</b> No information available |
| <b>Autoignition Temperature</b>                | No data available        |  |
| <b>Decomposition Temperature</b>               | No data available        |  |
| <b>pH</b>                                      | 1.5                      |  |
| <b>Viscosity</b>                               | No data available        |  |
| <b>Water Solubility</b>                        | Miscible                 |  |
| <b>Solubility in other solvents</b>            | No information available |  |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |  |
| <b>Component</b>                               | <b>log Pow</b>           |  |
| Nitric acid ...% [C ≤ 70 %]                    | -2.3                     |  |
| Acetic acid                                    | -0.2                     |  |
| <b>Vapor Pressure</b>                          | 23 hPa @ 20 °C           |  |
| <b>Density / Specific Gravity</b>              | 1.22 g/cm <sup>3</sup>   | @ 20 °C                                  |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                                   |
| <b>Vapor Density</b>                           | No data available        | (Air = 1.0)                              |

# SAFETY DATA SHEET

Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion

Revision Date 17-Mar-2024

**Particle characteristics** Not applicable (liquid)

## 9.2. Other information

**Molecular Formula** CeO<sub>2</sub> mol/mol 0.2 nitrate, pH 1.5  
**Molecular Weight** 172.12

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity** None known, based on information available

**10.2. Chemical stability** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available.  
**Hazardous Reactions** None under normal processing.

**10.4. Conditions to avoid** Incompatible products. Excess heat.

**10.5. Incompatible materials** Strong bases.

**10.6. Hazardous decomposition products** Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Hydrogen fluoride. Metal oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

(a) acute toxicity;  
**Oral** Based on available data, the classification criteria are not met  
**Dermal** Based on available data, the classification criteria are not met  
**Inhalation** Based on available data, the classification criteria are not met

#### Toxicology data for the components

| Component                   | LD50 Oral           | LD50 Dermal         | LC50 Inhalation           |
|-----------------------------|---------------------|---------------------|---------------------------|
| Water                       | -                   | -                   | -                         |
| Cerium oxide                | >5000 mg/kg ( Rat ) | >2000 mg/kg ( Rat ) | >5.05 mg/L ( Rat ) 4 h    |
| Nitric acid ...% [C ≤ 70 %] | -                   | -                   | LC50 = 2500 ppm. (Rat) 1h |
| Acetic acid                 | 3310 mg/kg ( Rat )  | -                   | > 40 mg/L ( Rat ) 4 h     |

| Component                   | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) |
|-----------------------------|-----------------------|-------------------------|-----------------------------|
| Nitric acid ...% [C ≤ 70 %] | -                     | -                       | ATE = 2.65 mg/L (vapours)   |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;  
**Respiratory** No data available

# SAFETY DATA SHEET

Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion

Revision Date 17-Mar-2024

|   |   |
|---|---|
| <b>Skin</b>                                       | No data available   |
| <b>(e) germ cell mutagenicity;</b>                | No data available   |
| <b>(f) carcinogenicity;</b>                       | No data available<br>There are no known carcinogenic chemicals in this product  |
| <b>(g) reproductive toxicity;</b>                 | No data available   |
| <b>(h) STOT-single exposure;</b>                  | No data available   |
| <b>(i) STOT-repeated exposure;</b>                | No data available   |
| <b>Target Organs</b>                              | No information available.   |
| <b>(j) aspiration hazard;</b>                     | No data available   |
| <b>Symptoms / effects, both acute and delayed</b> | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. |

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity effects** May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component    | Freshwater Fish  | Water Flea         | Freshwater Algae |
|--------------|--|--------------------|------------------|
| Cerium oxide | LC50 >100 mg/L/96h<br>(Brachydanio rerio)  | EC50 >100 mg/L/48h |                  |
| Acetic acid  | Pimephales promelas: LC50 = 88 mg/L/96h<br>Lepomis macrochirus: LC50 = 75 mg/L/96h | EC50 = 95 mg/L/24h | -                |

| Component   | Microtox  | M-Factor |
|-------------|---|----------|
| Acetic acid | Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min<br>Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min<br>Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min |          |

**12.2. Persistence and degradability** Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary based on information available, May persist.  
**Persistence Degradation in sewage treatment plant** Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.



# SAFETY DATA SHEET

Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion

Revision Date 17-Mar-2024

**12.3. Bioaccumulative potential** May have some potential to bioaccumulate

| Component                   | log Pow | Bioconcentration factor (BCF) |
|-----------------------------|---------|-------------------------------|
| Nitric acid ...% [C ≤ 70 %] | -2.3    | No data available             |
| Acetic acid                 | -0.2    | No data available             |

**12.4. Mobility in soil** The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils.

**12.5. Results of PBT and vPvB assessment** No data available for assessment.

**12.6. Endocrine disrupting properties**  
**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

**12.7. Other adverse effects**  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance.  
**Ozone Depletion Potential** This product does not contain any known or suspected substance.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information** Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

**14.1. UN number** UN3264  
**14.2. UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.  
**Technical Shipping Name** (ACETIC ACID, GLACIAL, NITRIC ACID)  
**14.3. Transport hazard class(es)** 8  
**14.4. Packing group** III

### ADR

**14.1. UN number** UN3264  
**14.2. UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.  
**Technical Shipping Name** (ACETIC ACID, GLACIAL, NITRIC ACID)  
**14.3. Transport hazard class(es)** 8  
**14.4. Packing group** III

### IATA

# SAFETY DATA SHEET

Cerium oxide, 20% in H2O, colloidal dispersion

Revision Date 17-Mar-2024

**14.1. UN number** UN3264  
**14.2. UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.  
**Technical Shipping Name** (ACETIC ACID, GLACIAL, NITRIC ACID)  
**14.3. Transport hazard class(es)** 8  
**14.4. Packing group** III

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component                   | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Water                       | 7732-18-5 | 231-791-2 | -      | -   | X     | X    | KE-35400 | X    | -    |
| Cerium oxide                | 1306-38-3 | 215-150-4 | -      | -   | X     | X    | KE-05392 | X    | X    |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | 231-714-2 | -      | -   | X     | X    | KE-25911 | X    | X    |
| Acetic acid                 | 64-19-7   | 200-580-7 | -      | -   | X     | X    | X        | X    | X    |

| Component                   | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------------------------|-----------|------|---|-----|------|------|-------|-------|
| Water                       | 7732-18-5 | X    | ACTIVE  | X   | -    | X    | X     | X     |
| Cerium oxide                | 1306-38-3 | X    | ACTIVE  | X   | -    | X    | X     | X     |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | X    | ACTIVE  | X   | -    | X    | X     | X     |
| Acetic acid                 | 64-19-7   | X    | ACTIVE  | X   | -    | X    | X     | X     |

**Legend:** X - Listed '-' - Not Listed      **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

| Component                   | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------------------|-----------|---|---|---|
| Water                       | 7732-18-5 | -   | -   | -   |
| Cerium oxide                | 1306-38-3 | -   | -   | -   |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | -   | Use restricted. See item 75. (see link for restriction details)               | -   |
| Acetic acid                 | 64-19-7   | -   | Use restricted. See item 75. (see link for restriction details)               | -   |

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

#### Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report |
|-----------|--------|--|---|
|           |        |  |   |

# SAFETY DATA SHEET

Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion

Revision Date 17-Mar-2024

|                             |           | Notification   | Requirements   |
|-----------------------------|-----------|----------------|----------------|
| Water                       | 7732-18-5 | Not applicable | Not applicable |
| Cerium oxide                | 1306-38-3 | Not applicable | Not applicable |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | Not applicable | Not applicable |
| Acetic acid                 | 64-19-7   | Not applicable | Not applicable |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 1 (self classification)

| Component                   | Germany - Water Classification (AwSV) | Germany - TA-Luft Class                                |
|-----------------------------|---------------------------------------|--|
| Cerium oxide                | WGK1                                  |  |
| Nitric acid ...% [C ≤ 70 %] | WGK1                                  |  |
| Acetic acid                 | WGK1                                  | Class II : 0.10 g/m <sup>3</sup> (Massenkonzentration) |

| Component                                      | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|--|--|---|---|
| Nitric acid ...% [C ≤ 70 %]<br>7697-37-2 ( 2 ) | Prohibited and Restricted Substances   |   |   |
| Acetic acid<br>64-19-7 ( 2 )                   | Prohibited and Restricted Substances   | Group I   |   |

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H272 - May intensify fire; oxidizer

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

EUH071 - Corrosive to the respiratory tract

### Legend

# SAFETY DATA SHEET

Cerium oxide, 20% in H<sub>2</sub>O, colloidal dispersion

Revision Date 17-Mar-2024

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

**Prepared By** Health, Safety and Environmental Department

**Revision Date** 17-Mar-2024

**Revision Summary** New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**