

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                           |                      |
|---------------------------|----------------------|
| Product Description:      | <u>Calcium oxide</u> |
| Cat No. :                 | <b>10923</b>         |
| Synonyms                  | Lime                 |
| CAS No                    | 1305-78-8            |
| EC No                     | 215-138-9            |
| Molecular Formula         | Ca O                 |
| REACH registration number | -                    |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                                |   |
|--------------------------------|---|
| Recommended Use                | Laboratory chemicals.   |
| Sector of use                  | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites    |
| Product category               | PC21 - Laboratory chemicals   |
| Process categories             | PROC15 - Use as a laboratory reagent  |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against           | No Information available  |

### 1.3. Details of the supplier of the safety data sheet

|         |  |
|---------|--|
| Company | Avocado Research Chemicals Ltd.<br>(Part of Thermo Fisher Scientific)<br>Shore Road, Heysham<br>Lancashire, LA3 2XY,<br>United Kingdom<br>Office Tel: +44 (0) 1524 850506<br>Office Fax: +44 (0) 1524 850608 |
|---------|--|

|                |                                |
|----------------|--------------------------------|
| E-mail address | begel.sdsdesk@thermofisher.com |
|----------------|--------------------------------|

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

# SAFETY DATA SHEET

Calcium oxide

Revision Date 26-Jan-2024

Based on available data, the classification criteria are not met

## Health hazards

Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation  
Specific target organ toxicity - (single exposure)

Category 2 (H315)  
Category 1 (H318)  
Category 3 (H335)

## Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

## Hazard Statements

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H335 - May cause respiratory irritation

## Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

Water reactive

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

| Component     | CAS No    | EC No             | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|---------------|-----------|-------------------|----------|---|
| Calcium oxide | 1305-78-8 | EEC No. 215-138-9 | >95      | Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318)<br>STOT SE 3 (H335)                           |

REACH registration number

-

# SAFETY DATA SHEET

Calcium oxide

Revision Date 26-Jan-2024

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |  |
|---|--|
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.  |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Call a physician or poison control center immediately.   |
| <b>Inhalation</b>                         | Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.   |

### 4.2. Most important symptoms and effects, both acute and delayed

Causes severe eye damage. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

#### **Extinguishing media which must not be used for safety reasons**

Water.

### 5.2. Special hazards arising from the substance or mixture

Non-combustible. Water reactive.

#### **Hazardous Combustion Products**

None known.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

# SAFETY DATA SHEET

Calcium oxide

Revision Date 26-Jan-2024

## 6.2. Environmental precautions

Avoid release to the environment. See Section 12 for additional Ecological Information.

## 6.3. Methods and material for containment and cleaning up

Do not expose spill to water. Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Avoid dust formation. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Handle under inert gas, protect from moisture.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Protect from moisture. Store under an inert atmosphere.

**Technical Rules for Hazardous Substances (TRGS) 510**      Class 13  
**Storage Class (LGK) (Germany)**

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority      **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

| Component     | The United Kingdom   | European Union   | Ireland   |
|---------------|--|--|---|
| Calcium oxide | STEL: 4 mg/m <sup>3</sup> 15 min<br>STEL: 6 mg/m <sup>3</sup> 15 min<br>TWA: 1 mg/m <sup>3</sup> 8 hr<br>TWA: 2 mg/m <sup>3</sup> 8 hr | TWA: 1 mg/m <sup>3</sup> (8h)<br>STEL: 4 mg/m <sup>3</sup> (15min) | TWA: 1 mg/m <sup>3</sup> 8 hr.<br>respirable dust<br>STEL: 4 mg/m <sup>3</sup> 15 min |

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

# SAFETY DATA SHEET

Calcium oxide

Revision Date 26-Jan-2024

**Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)**

See table for values

| Component                        | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|----------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Calcium oxide<br>1305-78-8 (>95) | DNEL = 4mg/m <sup>3</sup>        |                                     | DNEL = 1mg/m <sup>3</sup>          |                                       |

**Predicted No Effect Concentration (PNEC)**

See values below.

| Component                        | Fresh water     | Fresh water sediment | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)        |
|----------------------------------|-----------------|----------------------|--------------------|------------------------------------|---------------------------|
| Calcium oxide<br>1305-78-8 (>95) | PNEC = 0.37mg/L |                      | PNEC = 0.37mg/L    | PNEC = 2.27mg/L                    | PNEC = 817.4mg/kg soil dw |

| Component                        | Marine water    | Marine water sediment | Marine water intermittent | Food chain | Air |
|----------------------------------|-----------------|-----------------------|---------------------------|------------|-----|
| Calcium oxide<br>1305-78-8 (>95) | PNEC = 0.24mg/L |                       | PNEC = 0.24mg/L           |            |     |

**8.2. Exposure controls**

**Engineering Measures**

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Personal protective equipment**

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |
| Nitrile rubber |                                   |                 |             |                       |
| Neoprene       |                                   |                 |             |                       |
| PVC            |                                   |                 |             |                       |

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particulates filter conforming to EN 143

**Small scale/Laboratory use** Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

# SAFETY DATA SHEET

Calcium oxide

Revision Date 26-Jan-2024

**Recommended half mask:-** Particle filtering: EN149:2001  
When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|  |                          |  |
|--|--------------------------|--|
| <b>Physical State</b>                          | Powder Solid             |  |
| <b>Appearance</b>                              | Beige                    |  |
| <b>Odor</b>                                    | Odorless                 |  |
| <b>Odor Threshold</b>                          | No data available        |  |
| <b>Melting Point/Range</b>                     | 2570 °C / 4658 °F        |  |
| <b>Softening Point</b>                         | No data available        |  |
| <b>Boiling Point/Range</b>                     | 2850 °C / 5162 °F        | @ 760 mmHg                               |
| <b>Flammability (liquid)</b>                   | Not applicable           | Solid                                    |
| <b>Flammability (solid,gas)</b>                | No information available |  |
| <b>Explosion Limits</b>                        | No data available        |  |
| <b>Flash Point</b>                             | No information available | <b>Method -</b> No information available |
| <b>Autoignition Temperature</b>                | No data available        |  |
| <b>Decomposition Temperature</b>               | No data available        |  |
| <b>pH</b>                                      | 12.5                     |  |
| <b>Viscosity</b>                               | Not applicable           | Solid                                    |
| <b>Water Solubility</b>                        | Reacts with water        |  |
| <b>Solubility in other solvents</b>            | No information available |  |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |  |
| <b>Vapor Pressure</b>                          | No data available        |  |
| <b>Density / Specific Gravity</b>              | No data available        |  |
| <b>Bulk Density</b>                            | No data available        |  |
| <b>Vapor Density</b>                           | Not applicable           | Solid                                    |
| <b>Particle characteristics</b>                | No data available        |  |

### 9.2. Other information

|                          |                        |
|--------------------------|------------------------|
| <b>Molecular Formula</b> | Ca O                   |
| <b>Molecular Weight</b>  | 56.08                  |
| <b>Evaporation Rate</b>  | Not applicable - Solid |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Yes

### 10.2. Chemical stability

Moisture sensitive. Air sensitive.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.  
**Hazardous Reactions** No information available.

### 10.4. Conditions to avoid

Avoid dust formation. Exposure to air. Incompatible products. Exposure to moist air or water.

### 10.5. Incompatible materials

Acids. Strong oxidizing agents. Halogens. Fluorine. Hydrogen fluoride. Carbon dioxide

# SAFETY DATA SHEET

Calcium oxide

Revision Date 26-Jan-2024

(CO<sub>2</sub>). Alcohols. Water.

## 10.6. Hazardous decomposition products

None known.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

##### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

| Component     | LD50 Oral                | LD50 Dermal | LC50 Inhalation              |
|---------------|--------------------------|-------------|------------------------------|
| Calcium oxide | >2000 mg/kg (female Rat) | -           | LC50 > 6.04 mg/L ( Rat ) 4 h |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

##### (d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Results / Target organs

Respiratory system.

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs

None known.

(j) aspiration hazard; Not applicable  
Solid

**Symptoms / effects, both acute and delayed** Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

### 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

# SAFETY DATA SHEET

Calcium oxide

Revision Date 26-Jan-2024

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

Do not empty into drains.

| Component     | Freshwater Fish                                 | Water Flea | Freshwater Algae |
|---------------|---|------------|------------------|
| Calcium oxide | LC50: = 1070 mg/L, 96h static (Cyprinus carpio) |            |                  |

### 12.2. Persistence and degradability

#### Persistence

Persistence is unlikely, based on information available.

#### Degradability

Not relevant for inorganic substances, Reacts with water.

#### Degradation in sewage treatment plant

Water reactive.

### 12.3. Bioaccumulative potential

Product does not bioaccumulate due to reaction with water

### 12.4. Mobility in soil

Reacts with water. Is not likely mobile in the environment.

### 12.5. Results of PBT and vPvB assessment

Water reactive. In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

### 12.6. Endocrine disrupting properties

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

### 12.7. Other adverse effects

#### Persistent Organic Pollutant

This product does not contain any known or suspected substance

#### Ozone Depletion Potential

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

Not regulated



# SAFETY DATA SHEET

Calcium oxide

Revision Date 26-Jan-2024

- 14.1. UN number  
14.2. UN proper shipping name  
14.3. Transport hazard class(es)  
14.4. Packing group

ADR Not regulated

- 14.1. UN number  
14.2. UN proper shipping name  
14.3. Transport hazard class(es)  
14.4. Packing group

## IATA

14.1. UN number UN1910  
14.2. UN proper shipping name CALCIUM OXIDE  
14.3. Transport hazard class(es) 8  
14.4. Packing group III

- 14.5. Environmental hazards No hazards identified  
14.6. Special precautions for user No special precautions required.  
14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component     | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|---------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Calcium oxide | 1305-78-8 | 215-138-9 | -      | -   | X     | X    | KE-04588 | X    | X    |

| Component     | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|---------------|-----------|------|---|-----|------|------|-------|-------|
| Calcium oxide | 1305-78-8 | X    | ACTIVE  | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH Not applicable

| Component     | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---------------|-----------|---|---|---|
| Calcium oxide | 1305-78-8 | -   | -   | -   |

#### Seveso III Directive (2012/18/EC)

| Component     | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---------------|-----------|---|--|
| Calcium oxide | 1305-78-8 | Not applicable  | Not applicable   |

# SAFETY DATA SHEET

Calcium oxide

Revision Date 26-Jan-2024

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

| Component     | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|---------------|---------------------------------------|-------------------------|
| Calcium oxide | WGK1                                  |                         |

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

# SAFETY DATA SHEET

Calcium oxide

Revision Date 26-Jan-2024

BCF - Bioconcentration factor

VOC - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

## Prepared By

Health, Safety and Environmental Department

## Creation Date

11-Jul-2014

## Revision Date

26-Jan-2024

## Revision Summary

New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**