

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 06-Nov-2010 Revision Date 08-Feb-2024 Revision Number 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: Barium hydroxide octahydrate

Cat No. : 14499

**CAS No** 12230-71-6

Molecular Formula H2 Ba O2 . 8 H2 O

REACH registration number

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

**E-mail address** begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### **Physical hazards**

Based on available data, the classification criteria are not met

### **Health hazards**

Acute oral toxicity Category 4 (H302)

ALFAA14499

#### Barium hydroxide octahydrate

Revision Date 08-Feb-2024

Acute Inhalation Toxicity - Dusts and Mists Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 4 (H332) Category 1 A (H314) Category 1 (H318)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage H302 + H332 - Harmful if swallowed or if inhaled EUH071 - Corrosive to the respiratory tract

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

#### 2.3. Other hazards

May cause cardiac arrhythmia

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Barium hydroxide octahydrate	12230-71-6		>95	Acute Tox. 4 (H302) Skin Corr. 1A (H314) Eye Dam. 1 (H318) Acute Tox. 4 (H332) (EUH071)
Barium hydroxide (Ba(OH)2)	17194-00-2	EEC No. 241-234-5	-	Acute Tox. 4 (H302) Skin Corr. 1A (H314) Eye Dam. 1 (H318) Acute Tox. 4 (H332) (EUH071)

#### Barium hydroxide octahydrate

Revision Date 08-Feb-2024

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

#### **REACH** registration number

Full text of Hazard Statements: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Ingestion Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison Inhalation

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

be investigated

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

#### Barium hydroxide octahydrate

Revision Date 08-Feb-2024

Barium oxides.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

#### 6.2. Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep in a dry, cool and well-ventilated place. Keep under nitrogen. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Class 8B Storage Class (LGK) (Germany)

### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

#### Barium hydroxide octahydrate

Revision Date 08-Feb-2024

Component	The United Kingdom	European Union	Ireland
Barium hydroxide octahydrate	STEL: 1.5 mg/m <sup>3</sup> 15 min	TWA: 0.5 mg/m <sup>3</sup> (8hr)	
	TWA: 0.5 mg/m <sup>3</sup> 8 hr		
Barium hydroxide (Ba(OH)2)	STEL: 1.5 mg/m <sup>3</sup> 15 min	TWA: 0.5 mg/m <sup>3</sup> (8hr)	
. , , , ,	TWA: 0.5 mg/m <sup>3</sup> 8 hr	, ,	

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

#### **Predicted No Effect Concentration (PNEC)**

See values below.

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Latex gloves	> 480 minutes	0.6 mm	EN 374	As tested under EN374-3 Determination of
Nitrile rubber				Resistance to Permeation by Chemicals
Neoprene				·
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits Large scale/emergency use

are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001

Barium hydroxide octahydrate

Revision Date 08-Feb-2024

Solid

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State Solid

Appearance White Odor Odorless

Odor ThresholdNo data availableMelting Point/Range78 °C / 172.4 °FSoftening PointNo data availableBoiling Point/RangeNo information available

Flammability (liquid) Not applicable

Flammability (solid,gas) No information available

**Explosion Limits** No data available

Flash Point No information available Method - No information available

Autoignition Temperature No data available Decomposition Temperature No data available

**pH** 12.5

Viscosity Not applicable Solid

Water Solubility 947 g/l

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure No data available

Density / Specific Gravity 2.180

Bulk Density ca. 1.07 kg/m<sup>3</sup>

Vapor DensityNot applicableSolid

Particle characteristics No data available

### 9.2. Other information

Molecular Formula H2 Ba O2 . 8 H2 O

Molecular Weight 315.48
Oxidizing Properties Not oxidising

Evaporation Rate Not applicable - Solid

### **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions. Air sensitive.

### 10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

10.4. Conditions to avoid

Exposure to air. Incompatible products. Exposure to moist air or water.

10.5. Incompatible materials

Acids, Metals, Aluminium,

Revision Date 08-Feb-2024

#### 10.6. Hazardous decomposition products

Barium oxides.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Category 4 **Dermal** No data available Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Barium hydroxide octahydrate	550 mg/kg (Rat)	-	-
Barium hydroxide (Ba(OH)2)	LD50 = 308 mg/kg (Rat)	-	-

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Based on available data, the classification criteria are not met Respiratory Based on available data, the classification criteria are not met Skin

Based on available data, the classification criteria are not met (e) germ cell mutagenicity;

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

No data available (i) STOT-repeated exposure;

**Target Organs** No information available.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects May cause cardiac arrhythmia

delaved

Symptoms / effects, both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated.

#### 11.2. Information on other hazards

Assess endocrine disrupting properties for human health. This product does not contain any **Endocrine Disrupting Properties** 

known or suspected endocrine disruptors.

Revision Date 08-Feb-2024

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects**Contains no substances known to be hazardous to the environment or that are not

degradable in waste water treatment plants. Large amounts will affect pH and harm aquatic

organisms.

12.2. Persistence and degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

**Degradability** Not relevant for inorganic substances.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

12.4. Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before

discharge.

### **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

**14.1. UN number** UN3262

#### Barium hydroxide octahydrate

Revision Date 08-Feb-2024

Corrosive solid, basic, inorganic, n.o.s. 14.2. UN proper shipping name **Technical Shipping Name** 

14.3. Transport hazard class(es) 14.4. Packing group II

Barium hydroxide octahydrate

ADR

14.1. UN number UN3262

14.2. UN proper shipping name Corrosive solid, basic, inorganic, n.o.s.

**Technical Shipping Name** Barium hydroxide octahydrate

14.3. Transport hazard class(es) II 14.4. Packing group

IATA

UN3262 14.1. UN number

14.2. UN proper shipping name Corrosive solid, basic, inorganic, n.o.s.

**Technical Shipping Name** Barium hydroxide octahydrate

14.3. Transport hazard class(es) П 14.4. Packing group

No hazards identified 14.5. Environmental hazards

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

### **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Barium hydroxide octahydrate	12230-71-6	-	-	-	Х	X	-	-	-
Barium hydroxide (Ba(OH)2)	17194-00-2	241-234-5	_	_	Х	Х	KE-02060	Х	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Barium hydroxide octahydrate	12230-71-6	-	=	-	-	Х	Х	X
Barium hydroxide (Ba(OH)2)	17194-00-2	Х	ACTIVE	Х	-	Х	Х	X

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Barium hydroxide octahydrate	12230-71-6	-	-	-
Barium hydroxide (Ba(OH)2)	17194-00-2	-	Use restricted. See item 75. (see link for restriction details)	-

#### Barium hydroxide octahydrate

Revision Date 08-Feb-2024

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Barium hydroxide octahydrate	12230-71-6	Not applicable	Not applicable
Barium hydroxide (Ba(OH)2)	17194-00-2	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Barium hydroxide octahydrate	WGK1	

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

EUH071 - Corrosive to the respiratory tract

#### Legend

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

TSCA - United States Toxic Substances Control Act Section 8(b)

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**CAS** - Chemical Abstracts Service

TWA - Time Weighted Average

**ACGIH** - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer

#### Barium hydroxide octahydrate

**DNEL** - Derived No Effect Level **RPE** - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

**EC50** - Effective Concentration 50% **POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

**NOEC** - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

Revision Date 08-Feb-2024

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

Creation Date06-Nov-2010Revision Date08-Feb-2024

**Revision Summary** New emergency telephone response service provider.

## This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**