

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 22-Dec-2009 Revision Date 08-Feb-2024 Revision Number 4

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: Antimony(III) oxide

Cat No. : 11579

 Synonyms
 Antimony trioxide

 Index No
 051-005-00-X

 CAS No
 1309-64-4

 EC No
 215-175-0

 Molecular Formula
 O3 Sb2

REACH registration number -

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

**Product category** PC21 - Laboratory chemicals

**Process categories** PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

**Physical hazards** 

ALFAA11579

Antimony(III) oxide Revision Date 08-Feb-2024

Based on available data, the classification criteria are not met

**Health hazards** 

Carcinogenicity Category 2 (H351)

**Environmental hazards** 

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

Warning

#### **Hazard Statements**

H351 - Suspected of causing cancer

#### **Precautionary Statements**

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Antimony trioxide	1309-64-4	EEC No. 215-175-0	>95	Carc. 2 (H351)
Lead monoxide	1317-36-8	EEC No. 215-267-0	<0.1	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Repr. 1A (H360Df) Lact. (H362) STOT RE 1 (H372) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Arsenic trioxide	1327-53-3	EEC No. 215-481-4	<0.1	Acute Tox. 2 (H300) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Carc. 1A (H350) Aquatic Acute 1 (H400)

Antimony(III) oxide Revision Date 08-Feb-2024

				Aquatic Chronic 1 (H410)
--	--	--	--	--------------------------

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Lead monoxide	Repr. 2 (H361f) :: C>=2.5% STOT RE 2 (H373) :: C>=0.5%	10 (acute) 1 (Chronic)	-
Arsenic trioxide	-	1	-

#### Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

REACH registration number			-
Components	Reach Re	egistration Number	
Antimony trioxide	01-2	2119475613-35	

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

# Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and

#### Antimony(III) oxide

Revision Date 08-Feb-2024

sources of ignition.

# **Hazardous Combustion Products**

Antimony oxide.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

# **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 13 Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

# **Exposure limits**

Antimony(III) oxide Revision Date 08-Feb-2024

List source(s): UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	The United Kingdom	European Union	Ireland
Antimony trioxide	STEL: 1.5 mg/m <sup>3</sup> 15 min		
	TWA: 0.5 mg/m <sup>3</sup> 8 hr		
Lead monoxide	STEL: 0.45 mg/m <sup>3</sup> 15 min		
	TWA: 0.15 mg/m <sup>3</sup> 8 hr		
Arsenic trioxide	STEL: 0.3 mg/m <sup>3</sup> 15 min		
	TWA: 0.1 mg/m <sup>3</sup> 8 hr		
	Carc. except Arsine		

#### **Biological limit values**

List source(s):

# Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Dermal)	systemic (Dermal)	(Dermal)	systemic (Dermal)
Antimony trioxide 1309-64-4 ( >95 )				DNEL = 67mg/kg bw/day
Arsenic trioxide 1327-53-3 ( <0.1 )				DNEL = 112µg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Antimony trioxide 1309-64-4 ( >95 )			DNEL = 0.315mg/m <sup>3</sup>	
Arsenic trioxide 1327-53-3 ( <0.1 )				DNEL = 5µg/m³

#### **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Antimony trioxide	PNEC = 0.135mg/L	PNEC = 13.4 mg/kg		PNEC = 3.05mg/L	PNEC = 44.3 mg/kg
1309-64-4 ( >95 )		sediment dw		-	soil dw
Arsenic trioxide	PNEC = 17.1µg/L	PNEC =	PNEC = 1.2µg/L	PNEC = 80.3µg/L	PNEC = 0.7mg/kg
1327-53-3 ( <0.1 )		171.1mg/kg			soil dw
		sediment dw			

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Antimony trioxide	PNEC =	PNEC = 2.68mg/kg			
1309-64-4 (>95)	0.0135mg/L	sediment dw			
Arsenic trioxide	PNEC = 1.2µg/L	PNEC = 12mg/kg		PNEC = 1.31mg/kg	
1327-53-3 ( <0.1 )		sediment dw		food	

#### 8.2. Exposure controls

# **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use only under a chemical fume hood.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment Eye Protection

Antimony(III) oxide Revision Date 08-Feb-2024

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness EU standard Glove comments

Neoprene See manufacturers - EN 374 (minimum requirement)
recommendations

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

@ 760 mmHg

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Physical State Powder Solid

Appearance White Odor Odorless

Odor ThresholdNo data availableMelting Point/Range656 °C / 1212.8 °FSoftening PointNo data availableBoiling Point/Range1550 °C / 2822 °F

Flammability (liquid) Not applicable Solid

Flammability (solid,gas)

No information available

Explosion Limits No data available

Explosion Limits

Flash Point No information available Method - No information available

Autoignition Temperature

Decomposition Temperature

No data available

No information available

H No information available

Viscosity Not applicable Solid
Water Solubility Insoluble in water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowArsenic trioxide18.1

Vapor Pressure1.3 hPa @ 574 °CDensity / Specific GravityNo data availableBulk DensityNo data available

Vapor Density Not applicable Solid

Antimony(III) oxide Revision Date 08-Feb-2024

Particle characteristics No data available

9.2. Other information

Molecular Formula O3 Sb2 Molecular Weight 291.42

Evaporation Rate Not applicable - Solid

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Avoid dust formation. Incompatible products. Excess heat.

10.5. Incompatible materials

Strong acids. Strong bases. Reducing Agent. Strong oxidizing agents.

10.6. Hazardous decomposition products

Antimony oxide.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Antimony trioxide	LD50 > 34600 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 > 5.2 mg/L (Rat) 4 h
Lead monoxide	LD50 > 10000 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	LC50 > 5.05 mg/L (Rat) 4 h
Arsenic trioxide	LD50 = 20 mg/kg (Rat)	-	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

Antimony(III) oxide Revision Date 08-Feb-2024

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Antimony trioxide				Group 2B
Lead monoxide				Group 2A
Arsenic trioxide	Carc Cat. 1A		Cat. 1	Group 1

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

**Target Organs** None known.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available. delayed

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity **Ecotoxicity effects** 

Contains a substance which is:. Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Antimony trioxide	LC50 >1000 mg/L/96h (Brachydanio rerio)	EC50: > 1000 mg/L, 48h	EC50: 0.65 - 0.81 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: 0.63 - 0.8 mg/L, 72h (Pseudokirchneriella subcapitata)
Lead monoxide	Pimephales promelas: LC50=0.3 mg/L 96h	EC50=0.13 mg/L 48h	
Arsenic trioxide	LC50: = 135 mg/L, 96h (Pimephales promelas) LC50: > 1000 mg/L, 96h static (Oncorhynchus mykiss) LC50: 18.8 - 21.4 mg/L, 96h flow-through (Oncorhynchus mykiss)	EC50 = 0.038 mg/L 24h EC50 = 0.96 mg/L 96h EC50 = 0.038 mg/L 24h	

Component	Microtox	M-Factor
Antimony trioxide	EC50 > 3.5 mg/L 7 h	
Lead monoxide		10 (acute) 1 (Chronic)
Arsenic trioxide	EC50 = 31.43 mg/L 60 min	1

Antimony(III) oxide Revision Date 08-Feb-2024

EC50 = 33.39 mg/L 30 min	
EC50 = 43.56 mg/L 15 min	
EC50 = 73.73 mg/L 5 min	

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

**Persistence** 

based on information available, May persist, Insoluble in water.

Degradation in sewage

treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential

May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
Arsenic trioxide	18.1	80 - 236 dimensionless

12.4. Mobility in soil The product is water soluble, and may spread in water systems Spillage unlikely to

penetrate soil Will likely be mobile in the environment due to its water solubility. Is not likely

mobile in the environment due its low water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Dispose of this container to hazardous or special waste collection point. Contaminated Packaging

According to the European Waste Catalog, Waste Codes are not product specific, but **European Waste Catalogue (EWC)** 

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains.

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

Antimony(III) oxide Revision Date 08-Feb-2024

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Antimony trioxide	1309-64-4	215-175-0	-	-	X	X	KE-09846	X	Х
Lead monoxide	1317-36-8	215-267-0	-	-	Х	X	KE-21926	X	Х
Arsenic trioxide	1327-53-3	215-481-4	-	-	Х	Х	KE-09858	Χ	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Antimony trioxide	1309-64-4	X	ACTIVE	Х	-	Х	Х	Х
Lead monoxide	1317-36-8	X	ACTIVE	Х	-	Х	X	Х
Arsenic trioxide	1327-53-3	Х	ACTIVE	Х	-	Х	Х	Х

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Com	ponent	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Antimo	ny trioxide	1309-64-4	-	Use restricted. See item 75. (see link for restriction details)	-
Lead	monoxide	1317-36-8	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 63. (see link for restriction details) Use restricted. See item 75. (see link for restriction	SVHC Candidate list - Toxic for reproduction (Article 57 c)

#### Antimony(III) oxide

Revision Date 08-Feb-2024

			details)	
Arsenic trioxide	1327-53-3	Carcinogenic Category 1A,	Use restricted. See item	SVHC Candidate list -
		Article 57	72.	215-481-4 - Carcinogenic,
		Application date:	(see link for restriction	Article 57a
		November 21, 2013	details)	
		Sunset date: May 21, 2015	Use restricted. See item	
		Exemption - None	28.	
			(see link for restriction	
			details)	
			Use restricted. See item	
			75.	
			(see link for restriction	
			details) Use restricted. See	
			item 19.	
			(see link for restriction	
			details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

#### **REACH links**

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Antimony trioxide	1309-64-4	Not applicable	Not applicable
Lead monoxide	1317-36-8	Not applicable	Not applicable
Arsenic trioxide	1327-53-3	Not applicable	0.1 tonne

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Component	ANNEX I - PART 1 List of chemicals subject to export notification procedure (referred to in Article 8)	ANNEX I - PART 2 List of chemicals qualifying for PIC notification (referred to in Article 11)	ANNEX I - PART 3 List of chemicals subject to the PIC procedure (referred to in Articles 13 and 14)
Lead monoxide 1317-36-8 ( <0.1 )	sr — severe restriction  i(2) — industrial chemical for public	-	-
Arsenic trioxide 1327-53-3 ( <0.1 )	p(2) — other pesticide including biocides sr — severe restriction	-	-

https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A32012R0649&qid=1604065742303.

# Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

# **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class

#### Antimony(III) oxide

Antimony trioxide	WGK1	
Lead monoxide	WGK3	
Arsenic trioxide	WGK3	

Component	France - INRS (Tables of occupational diseases)	
Antimony trioxide	Tableaux des maladies professionnelles (TMP) - RG 73	
Lead monoxide	Tableaux des maladies professionnelles (TMP) - RG 1	
Arsenic trioxide	Tableaux des maladies professionnelles (TMP) - RG 20,RG 20bis	

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Lead monoxide	Prohibited and Restricted		
1317-36-8 ( <0.1 ) Arsenic trioxide	Substances Prohibited and Restricted		Annex I - pesticide
1327-53-3 (<0.1)	Substances		7 timex i posticido

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer

H300 - Fatal if swallowed

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H350 - May cause cancer

H360Df - May damage the unborn child. Suspected of damaging fertility

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Revision Date 08-Feb-2024

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from Ships

Antimony(III) oxide Revision Date 08-Feb-2024

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Creation Date22-Dec-2009Revision Date08-Feb-2024

**Revision Summary** New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**