

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 16-Apr-2012

Revision Date 10-Feb-2024

**Revision Number** 3

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description:	1-Bromo-3-methyl-2-butene
Cat No. :	A13388
Synonyms	3,3-Dimethylallyl bromide; Prenyl bromide
CAS No	870-63-3
EC No	212-799-5
Molecular Formula	C5 H9 Br
REACH registration number	-
1.2. Relevant identified uses of the	ne substance or mixture and uses advised against
<b>_</b>	

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
E-mail address	begel.sdsdesk@thermofisher.com
1.4. Emergency telephone number	For information <b>US</b> call: 001-800-227-6701 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US:</b> 001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99 <b>CHEMTREC</b> Tel. No. <b>US:</b> 001-800-424-9300 / <b>Europe:</b> 001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Flammable liquids

Category 3 (H226)

Health hazards

#### 1-Bromo-3-methyl-2-butene

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 1 B (H314) Category 1 (H318)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



#### Signal Word

Danger

#### **Hazard Statements**

H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

#### 2.3. Other hazards

Lachrymator (substance which increases the flow of tears) This product does not contain any known or suspected endocrine disruptors

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
2-Butene, 1-bromo-3-methyl-	870-63-3	EEC No. 212-799-5	>95	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Flam. Liq. 3 (H226)

REACH registration number	-

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.	
Ingestion	Do NOT induce vomiting. Get medical attention.	
Inhalation	Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. If not breathing, give artificial respiration.	
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.	
4.2. Most important symptoms and effects, both acute and delayed		

Causes burns by all exposure routes. Difficulty in breathing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

**SECTION 5: FIREFIGHTING MEASURES** 

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons Water may be ineffective.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen halides.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 1-Bromo-3-methyl-2-butene

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Refrigerator/flammables. Corrosives area. Keep away from heat, sparks and flame. Protect from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

#### Predicted No Effect Concentration (PNEC)

No information available.

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)
Hand Protection	Protective gloves

Natural rubber See	kthrough time manufacturers ommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
Skin and body protection	Long slee	eved clothing.		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls** No information available.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

<b>Revision Date</b>	10-Feb-2024
----------------------	-------------

Physical State	Liquid	
Appearance	Dark yellow	
Odor	No information available	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	82 - 83 °C / 179.6 - 181.4 °F	@ 150 mmHg
Flammability (liquid)	Flammable	On basis of test data
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	32 °C / 89.6 °F	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	No data available	
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/	water)	
Vapor Pressure	No data available	
Density / Specific Gravity	1.270	
Bulk Density	Not applicable	Liquid
Vapor Density	5.1	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	. ,
9.2. Other information		

Molecular Formula Molecular Weight Explosive Properties

1-Bromo-3-methyl-2-butene

C5 H9 Br 149.04 explosive air/vapour mixtures possible

## SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions. Light sensitive.
10.3. Possibility of hazardous react	ions
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to light.
10.5. Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen halides.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No acute toxicity information is available for this product		
No data available No data available No data available		
Category 1 B		
Category 1		
No data available No data available		
No data available		
No data available There are no known carcinogenic chemicals in this product		
No data available		
e exposure; No data available		
No data available		
No information available.		
No data available		
The toxicological properties have not been fully investigated.		
severe swelling, severe damage to the delicate tissue and da		
	No data available No data available Category 1 B Category 1 No data available No data available No data available No data available No data available There are no known carcinogenic chemicals in this product No data available No data available The toxicological properties have not been fully investigated. Product is a corrosive material. Use of gastric lavage or emea Possible perforation of stomach or esophagus should be inves	No data available No data available Category 1 B Category 1 No data available No data available No data available No data available There are no known carcinogenic chemicals in this product No data available No data available The toxicological properties have not been fully investigated.

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

1-Bromo-3-methyl-2-butene

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity Ecotoxicity effects

Do not empty into drains.

12.2. Persistence and degradability<br/>PersistenceNo information available<br/>Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in air
<u>12.5. Results of PBT and vPvB</u> assessment	No data available for assessment.
12.6. Endocrine disrupting properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods	
Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

## **SECTION 14: TRANSPORT INFORMATION**

### IMDG/IMO

1-Bromo-3-methyl-2-butene

<u>14.1. UN number</u>	UN2920
14.2. UN proper shipping name	Corrosive liquid, flammable, n.o.s.
Technical Shipping Name	2-Butene, 1-bromo-3-methyl-
14.3. Transport hazard class(es)	8
Subsidiary Hazard Class	3
14.4. Packing group	П

<u>ADR</u>

14.1. UN number	UN2920
14.2. UN proper shipping name	Corrosive liquid, flammable, n.o.s.
Technical Shipping Name	2-Butene, 1-bromo-3-methyl-
14.3. Transport hazard class(es)	8
Subsidiary Hazard Class	3

1-Bromo-3-methyl-2-butene

#### 14.4. Packing group

#### IATA

<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u>	UN2920 Corrosive liquid, flammable, n.o.s. 2-Butene, 1-bromo-3-methyl- 8 3 II
14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

Π

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
2-Butene, 1-bromo-3-methyl-	870-63-3	212-799-5	-	-	-	Х	KE-03678	Х	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
2-Butene, 1-bromo-3-methyl-	870-63-3	Х	ACTIVE	-	Х	-	Х	-

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

CAS No REACH (1907/2006) -REACH (1907/2006) -**REACH Regulation (EC** Component Annex XIV - Substances Annex XVII - Restrictions 1907/2006) article 59 -Subject to Authorization on Certain Dangerous Candidate List of Substances of Very High Substances Concern (SVHC) 870-63-3 2-Butene, 1-bromo-3-methyl-

Not applicable

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Seveso III Directive (2012/18/EC)	
-		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
2-Butene, 1-bromo-3-methyl-	870-63-3	Not applicable	Not applicable

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

#### 1-Bromo-3-methyl-2-butene

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 2 (self classification)

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

#### Legend

CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	<ul> <li>TWA - Time Weighted Average</li> <li>IARC - International Agency for Research on Cancer</li> <li>Predicted No Effect Concentration (PNEC)</li> <li>LD50 - Lethal Dose 50%</li> <li>EC50 - Effective Concentration 50%</li> <li>POW - Partition coefficient Octanol:Water</li> <li>vPvB - very Persistent, very Bioaccumulative</li> </ul>
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

1-Bromo-3-methyl-2-butene

Revision Date 10-Feb-2024

Creation Date Revision Date Revision Summary 16-Apr-2012 10-Feb-2024

New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

. Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**